




- Rugged design aluminium enclosure with carrying handle that can withstand a maximum load of up to 20.0 kg.
- TPE (Elastomer) corner guards are elastic and also act as non-slip rubber feet.
- A large selection of 139 different sizes to choose from.
- A total of 12 selectable color combinations with 4 corner guard colors - Black, Gray, Navy and Red -, 2 handle colors - Black and Gray-, and 2 enclosure colors - Silver and Black anodized-.
- Versatile aluminium case suitable for use as measuring instrument, controller, industrial embedded computer, power supply, audio amplifier, and so on.



#### Included screws

- Top / Bottom cover (not applicable to some models)  
M3-5 original trapezoid head (hex) & Nickel plated / Black trivalent chromate x 4~8 pcs
- Frame / Panel support frame  
M3-8 flat head & Nickel plated x 16 pcs
- Corner guard  
M3-10 hex & Black trivalent chromate x 8 pcs
- \* Hex wrench included.
- Carrying handle  
M5-8 pan head self-tapping screw & Black trivalent chromate x 4 pcs

Recommended torque :

|                                  |                  |
|----------------------------------|------------------|
| M3 -10 hex                       | - 0.2N • m       |
| M5-8 pan head self-tapping screw | 1.5N • m         |
| Other screws                     | - 0.3 ~ 0.6N • m |

\* Recommended torque listed is for reference only; actual may differ. Assemble after testing torque.

## Components

| No. | Part name           | Pcs | Material                     | Color / Finish                               |
|-----|---------------------|-----|------------------------------|----------------------------------------------|
| 1   | Corner block        | 4   | Diecast aluminium ADC12      | Silver • Black / Painted (Unfinished inside) |
| 2   | Frame               | 2   | Extruded aluminium A6063S-T5 | Silver • Black / Anodized                    |
| 3   | Panel support frame | 4   | Extruded aluminium A6063S-T5 | Silver • Black / Anodized                    |
| 4   | Panel               | 2   | Aluminium A1100P             | Silver • Black / Anodized                    |
| 5   | Top • bottom cover  | 2   | Aluminium A1100P             | Silver • Black / Anodized                    |
| 6   | Corner guard        | 8   | TPE (Elastomer)              | Black • Gray • Navy • Red                    |
| 7   | Carrying handle     | 1   | PU • PA6 • ABS • Steel       | Black • Gray                                 |

## Color

Please choose from the color combinations listed below.

S B B

(Silver / Black / Black)



S G B

(Silver / Gray / Black)



S N B

(Silver / Navy / Black)



S R B

(Silver / Red / Black)




S B G

(Silver / Black / Gray)




S G G

(Silver / Gray / Gray)




S N G

(Silver / Navy / Gray)



S R G

(Silver / Red / Gray)



B B B

(Black / Black / Black)



B G B

(Black / Gray / Black)



B N B

(Black / Navy / Black)



B R B

(Black / Red / Black)



## Product Number

To determine a product number, fill H-W-D dimensions and select Color code in the following blank boxes.

AUGH

-

-

-




H-W-D dimensions

See page AUGH-3 ~ AUGH-4 for dimensions / product no.

Color

SBB / SGB / SNB / SRB

SBG / SGG / SNG / SRG

BBB / BGB / BNB / BRB


Numbering example :

If looking at "H100 x W258 x D368mm, Color type SRG"

➔ AUGH 88-25-36-SRG




Accessories (Optional parts)



Mounting plate AUC series  
See page 179 ~ 180

AUGH dimensions

■ DXF/DWG/PDF/STP drawings available on our website.



Product no. / Details

■ Please suffix color code at the end of the product number.

| Product no.       | H  | W   | D   | Weight (kg) |
|-------------------|----|-----|-----|-------------|
| AUGH 44-16-25-□□□ | 56 | 168 | 258 | 1.0         |
| AUGH 44-16-30-□□□ | 56 | 168 | 308 | 1.2         |
| AUGH 44-16-36-□□□ | 56 | 168 | 368 | 1.3         |
| AUGH 44-20-25-□□□ | 56 | 208 | 258 | 1.2         |
| AUGH 44-20-30-□□□ | 56 | 208 | 308 | 1.3         |
| AUGH 44-20-36-□□□ | 56 | 208 | 368 | 1.5         |
| AUGH 44-25-25-□□□ | 56 | 258 | 258 | 1.3         |
| AUGH 44-25-30-□□□ | 56 | 258 | 308 | 1.5         |

| Product no.       | H  | W   | D   | Weight (kg) |
|-------------------|----|-----|-----|-------------|
| AUGH 44-25-36-□□□ | 56 | 258 | 368 | 1.7         |
| AUGH 44-30-25-□□□ | 56 | 308 | 258 | 1.5         |
| AUGH 44-30-30-□□□ | 56 | 308 | 308 | 1.7         |
| AUGH 44-30-36-□□□ | 56 | 308 | 368 | 2.0         |
| AUGH 44-36-25-□□□ | 56 | 368 | 258 | 1.7         |
| AUGH 44-36-30-□□□ | 56 | 368 | 308 | 2.0         |
| AUGH 44-36-36-□□□ | 56 | 368 | 368 | 2.4         |

## Product no. / Details


■ Please suffix color code at the end of the product number.

| Product no.       | H   | W   | D   | Weight (kg) |
|-------------------|-----|-----|-----|-------------|
| AUGH 66-16-25-□□□ | 78  | 168 | 258 | 1.2         |
| AUGH 66-16-30-□□□ | 78  | 168 | 308 | 1.3         |
| AUGH 66-16-36-□□□ | 78  | 168 | 368 | 1.5         |
| AUGH 66-16-43-□□□ | 78  | 168 | 438 | 1.9         |
| AUGH 66-20-25-□□□ | 78  | 208 | 258 | 1.3         |
| AUGH 66-20-30-□□□ | 78  | 208 | 308 | 1.5         |
| AUGH 66-20-36-□□□ | 78  | 208 | 368 | 1.7         |
| AUGH 66-20-43-□□□ | 78  | 208 | 438 | 2.0         |
| AUGH 66-25-25-□□□ | 78  | 258 | 258 | 1.5         |
| AUGH 66-25-30-□□□ | 78  | 258 | 308 | 1.7         |
| AUGH 66-25-36-□□□ | 78  | 258 | 368 | 2.0         |
| AUGH 66-25-43-□□□ | 78  | 258 | 438 | 2.3         |
| AUGH 66-30-25-□□□ | 78  | 308 | 258 | 1.7         |
| AUGH 66-30-30-□□□ | 78  | 308 | 308 | 2.0         |
| AUGH 66-30-36-□□□ | 78  | 308 | 368 | 2.2         |
| AUGH 66-30-43-□□□ | 78  | 308 | 438 | 2.6         |
| AUGH 66-30-50-□□□ | 78  | 308 | 508 | 2.9         |
| AUGH 66-36-25-□□□ | 78  | 368 | 258 | 2.0         |
| AUGH 66-36-30-□□□ | 78  | 368 | 308 | 2.2         |
| AUGH 66-36-36-□□□ | 78  | 368 | 368 | 2.5         |
| AUGH 66-36-43-□□□ | 78  | 368 | 438 | 2.9         |
| AUGH 66-36-50-□□□ | 78  | 368 | 508 | 3.3         |
| AUGH 66-43-25-□□□ | 78  | 438 | 258 | 2.3         |
| AUGH 66-43-30-□□□ | 78  | 438 | 308 | 2.6         |
| AUGH 66-43-36-□□□ | 78  | 438 | 368 | 2.9         |
| AUGH 66-43-43-□□□ | 78  | 438 | 438 | 3.3         |
| AUGH 66-43-50-□□□ | 78  | 438 | 508 | 3.8         |
| AUGH 66-50-30-□□□ | 78  | 508 | 308 | 2.9         |
| AUGH 66-50-36-□□□ | 78  | 508 | 368 | 3.3         |
| AUGH 66-50-43-□□□ | 78  | 508 | 438 | 3.8         |
| AUGH 66-50-50-□□□ | 78  | 508 | 508 | 4.2         |
| AUGH 88-16-25-□□□ | 100 | 168 | 258 | 1.3         |
| AUGH 88-16-30-□□□ | 100 | 168 | 308 | 1.5         |
| AUGH 88-16-36-□□□ | 100 | 168 | 368 | 1.7         |
| AUGH 88-16-43-□□□ | 100 | 168 | 438 | 2.0         |
| AUGH 88-20-25-□□□ | 100 | 208 | 258 | 1.5         |
| AUGH 88-20-30-□□□ | 100 | 208 | 308 | 1.7         |
| AUGH 88-20-36-□□□ | 100 | 208 | 368 | 1.9         |
| AUGH 88-20-43-□□□ | 100 | 208 | 438 | 2.2         |
| AUGH 88-25-25-□□□ | 100 | 258 | 258 | 1.7         |
| AUGH 88-25-30-□□□ | 100 | 258 | 308 | 1.7         |
| AUGH 88-25-36-□□□ | 100 | 258 | 368 | 2.2         |
| AUGH 88-25-43-□□□ | 100 | 258 | 438 | 2.5         |
| AUGH 88-30-25-□□□ | 100 | 308 | 258 | 1.9         |
| AUGH 88-30-30-□□□ | 100 | 308 | 308 | 2.1         |
| AUGH 88-30-36-□□□ | 100 | 308 | 368 | 2.4         |
| AUGH 88-30-43-□□□ | 100 | 308 | 438 | 2.8         |
| AUGH 88-30-50-□□□ | 100 | 308 | 508 | 3.1         |
| AUGH 88-36-25-□□□ | 100 | 368 | 258 | 2.1         |
| AUGH 88-36-30-□□□ | 100 | 368 | 308 | 2.4         |
| AUGH 88-36-36-□□□ | 100 | 368 | 368 | 2.7         |
| AUGH 88-36-43-□□□ | 100 | 368 | 438 | 3.2         |
| AUGH 88-36-50-□□□ | 100 | 368 | 508 | 3.5         |
| AUGH 88-43-25-□□□ | 100 | 438 | 258 | 2.4         |
| AUGH 88-43-30-□□□ | 100 | 438 | 308 | 2.8         |
| AUGH 88-43-36-□□□ | 100 | 438 | 368 | 3.1         |
| AUGH 88-43-43-□□□ | 100 | 438 | 438 | 3.6         |
| AUGH 88-43-50-□□□ | 100 | 438 | 508 | 4.0         |
| AUGH 88-50-30-□□□ | 100 | 508 | 308 | 3.1         |
| AUGH 88-50-36-□□□ | 100 | 508 | 368 | 3.5         |
| AUGH 88-50-43-□□□ | 100 | 508 | 438 | 4.0         |
| AUGH 88-50-50-□□□ | 100 | 508 | 508 | 4.5         |

| Product no.       | H     | W   | D   | Weight (kg) |
|-------------------|-------|-----|-----|-------------|
| AUGH133-16-25-□□□ | 144.5 | 168 | 258 | 1.6         |
| AUGH133-16-30-□□□ | 144.5 | 168 | 308 | 1.8         |
| AUGH133-16-36-□□□ | 144.5 | 168 | 368 | 2.1         |
| AUGH133-16-43-□□□ | 144.5 | 168 | 438 | 2.5         |
| AUGH133-20-25-□□□ | 144.5 | 208 | 258 | 1.8         |
| AUGH133-20-30-□□□ | 144.5 | 208 | 308 | 2.0         |
| AUGH133-20-36-□□□ | 144.5 | 208 | 368 | 2.3         |
| AUGH133-20-43-□□□ | 144.5 | 208 | 438 | 2.7         |
| AUGH133-25-25-□□□ | 144.5 | 258 | 258 | 2.0         |
| AUGH133-25-30-□□□ | 144.5 | 258 | 308 | 2.3         |
| AUGH133-25-36-□□□ | 144.5 | 258 | 368 | 2.6         |
| AUGH133-25-43-□□□ | 144.5 | 258 | 438 | 3.0         |
| AUGH133-30-25-□□□ | 144.5 | 308 | 258 | 2.2         |
| AUGH133-30-30-□□□ | 144.5 | 308 | 308 | 2.5         |
| AUGH133-30-36-□□□ | 144.5 | 308 | 368 | 2.9         |
| AUGH133-30-43-□□□ | 144.5 | 308 | 438 | 3.3         |
| AUGH133-30-50-□□□ | 144.5 | 308 | 508 | 3.7         |
| AUGH133-36-25-□□□ | 144.5 | 368 | 258 | 2.5         |
| AUGH133-36-30-□□□ | 144.5 | 368 | 308 | 2.8         |
| AUGH133-36-36-□□□ | 144.5 | 368 | 368 | 3.2         |
| AUGH133-36-43-□□□ | 144.5 | 368 | 438 | 3.7         |
| AUGH133-36-50-□□□ | 144.5 | 368 | 508 | 4.2         |
| AUGH133-43-25-□□□ | 144.5 | 438 | 258 | 2.9         |
| AUGH133-43-30-□□□ | 144.5 | 438 | 308 | 3.2         |
| AUGH133-43-36-□□□ | 144.5 | 438 | 368 | 3.6         |
| AUGH133-43-43-□□□ | 144.5 | 438 | 438 | 4.2         |
| AUGH133-43-50-□□□ | 144.5 | 438 | 508 | 4.7         |
| AUGH133-50-30-□□□ | 144.5 | 508 | 308 | 3.6         |
| AUGH133-50-36-□□□ | 144.5 | 508 | 368 | 4.0         |
| AUGH133-50-43-□□□ | 144.5 | 508 | 438 | 4.6         |
| AUGH133-50-50-□□□ | 144.5 | 508 | 508 | 5.2         |
| AUGH177-16-25-□□□ | 189   | 168 | 258 | 1.9         |
| AUGH177-16-30-□□□ | 189   | 168 | 308 | 2.1         |
| AUGH177-16-36-□□□ | 189   | 168 | 368 | 2.4         |
| AUGH177-16-43-□□□ | 189   | 168 | 438 | 2.8         |
| AUGH177-20-25-□□□ | 189   | 208 | 258 | 2.1         |
| AUGH177-20-30-□□□ | 189   | 208 | 308 | 2.4         |
| AUGH177-20-36-□□□ | 189   | 208 | 368 | 2.7         |
| AUGH177-20-43-□□□ | 189   | 208 | 438 | 3.1         |
| AUGH177-25-25-□□□ | 189   | 258 | 258 | 2.3         |
| AUGH177-25-30-□□□ | 189   | 258 | 308 | 2.6         |
| AUGH177-25-36-□□□ | 189   | 258 | 368 | 3.0         |
| AUGH177-25-43-□□□ | 189   | 258 | 438 | 3.4         |
| AUGH177-30-25-□□□ | 189   | 308 | 258 | 2.6         |
| AUGH177-30-30-□□□ | 189   | 308 | 308 | 2.9         |
| AUGH177-30-36-□□□ | 189   | 308 | 368 | 3.3         |
| AUGH177-30-43-□□□ | 189   | 308 | 438 | 3.8         |
| AUGH177-30-50-□□□ | 189   | 308 | 508 | 4.2         |
| AUGH177-36-25-□□□ | 189   | 368 | 258 | 2.9         |
| AUGH177-36-30-□□□ | 189   | 368 | 308 | 3.2         |
| AUGH177-36-36-□□□ | 189   | 368 | 368 | 3.6         |
| AUGH177-36-43-□□□ | 189   | 368 | 438 | 4.2         |
| AUGH177-36-50-□□□ | 189   | 368 | 508 | 4.7         |
| AUGH177-43-25-□□□ | 189   | 438 | 258 | 3.2         |
| AUGH177-43-30-□□□ | 189   | 438 | 308 | 3.6         |
| AUGH177-43-36-□□□ | 189   | 438 | 368 | 4.1         |
| AUGH177-43-43-□□□ | 189   | 438 | 438 | 4.7         |
| AUGH177-43-50-□□□ | 189   | 438 | 508 | 5.2         |
| AUGH177-50-30-□□□ | 189   | 508 | 308 | 4.0         |
| AUGH177-50-36-□□□ | 189   | 508 | 368 | 4.5         |
| AUGH177-50-43-□□□ | 189   | 508 | 438 | 5.1         |
| AUGH177-50-50-□□□ | 189   | 508 | 508 | 5.7         |



- Rugged design aluminium enclosure with TPE (Elastomer) corner guards. Corner guards also act as non-slip rubber feet.
- A large selection of 177 different sizes to choose from.
- A total of 8 selectable color combinations with 4 corner guard colors - Black, Gray, Navy and Red - and 2 enclosure colors - Silver and Black anodized.
- Versatile aluminium case suitable for use as measuring instrument, controller, industrial embedded computer, power supply, audio amplifier, and so on.



## Included screws

- Top / Bottom cover (not applicable to some models)  
M3-5 original trapezoid head (hex) &  
Nickel plated / Black trivalent chromate x 4~8 pcs
- Frame / Panel support frame  
M3-8 flat head & Nickel plated x 16 pcs
- Corner guard  
M3-10 hex & Black trivalent chromate x 8 pcs
- \* Hex wrench included.

Recommended torque :  $\begin{cases} \text{M3 : 10 hex - } 0.2\text{N} \cdot \text{m} \\ \text{Other screws : } 0.3 \sim 0.6\text{N} \cdot \text{m} \end{cases}$

\* Recommended torque listed is for reference only; actual may differ.  
Assemble after testing torque.

## Components

| No. | Part name           | Pcs | Material                     | Color / Finish                               |
|-----|---------------------|-----|------------------------------|----------------------------------------------|
| 1   | Corner block        | 4   | Diecast aluminium ADC12      | Silver • Black / Painted (Unfinished inside) |
| 2   | Frame               | 2   | Extruded aluminium A6063S-T5 | Silver • Black / Anodized                    |
| 3   | Panel support frame | 4   | Extruded aluminium A6063S-T5 | Silver • Black / Anodized                    |
| 4   | Panel               | 2   | Aluminium A1100P             | Silver • Black / Anodized                    |
| 5   | Top • bottom cover  | 2   | Aluminium A1100P             | Silver • Black / Anodized                    |
| 6   | Corner guard        | 8   | TPE (Elastomer)              | Black • Gray • Navy • Red                    |

## Color

Please choose from the color combinations listed below.

S B (Silver / Black)



S G (Silver / Gray)




S N (Silver / Navy)




S R (Silver / Red)




B B (Black / Black)




B G (Black / Gray)



B N (Black / Navy)



B R (Black / Red)



## Product Number

To determine a product number, fill H-W-D dimensions and select Color code in the following blank boxes.

AUG



-



-



-



H-W-D dimensions

See page 173~174 for dimensions / product no.

Color


SB • SG • SN • SR  
BB • BG • BN • BR

## Numbering example :

If looking at "H100 x W308 x D208mm, Color type BR"

➔ AUG 88-30-20-BR


## Accessories (Optional parts)

Mounting plate AUC series  
See page 179 ~ 180Elastomer carrying handle FM200  
See page FM200 • MHTilt leg TLW series  
See page 222



## AUG dimensions

■ DXF/DWG/PDF/STP drawings available on our website.



## Product no. / Details

■ Please suffix color code at the end of the product number.

| Product no.                | H  | W   | D   | Weight (kg) |
|----------------------------|----|-----|-----|-------------|
| <b>NEW</b> AUG 44-16-16-□□ | 56 | 168 | 168 | 0.7         |
| <b>NEW</b> AUG 44-16-20-□□ | 56 | 168 | 208 | 0.8         |
| <b>NEW</b> AUG 44-16-25-□□ | 56 | 168 | 258 | 1.0         |
| <b>NEW</b> AUG 44-16-30-□□ | 56 | 168 | 308 | 1.1         |
| <b>NEW</b> AUG 44-16-36-□□ | 56 | 168 | 368 | 1.3         |
| <b>NEW</b> AUG 44-16-43-□□ | 56 | 168 | 438 | 1.5         |
| <b>NEW</b> AUG 44-20-16-□□ | 56 | 208 | 168 | 0.8         |
| <b>NEW</b> AUG 44-20-20-□□ | 56 | 208 | 208 | 1.0         |
| <b>NEW</b> AUG 44-20-25-□□ | 56 | 208 | 258 | 1.1         |
| <b>NEW</b> AUG 44-20-30-□□ | 56 | 208 | 308 | 1.3         |
| <b>NEW</b> AUG 44-20-36-□□ | 56 | 208 | 368 | 1.5         |
| <b>NEW</b> AUG 44-20-43-□□ | 56 | 208 | 438 | 1.7         |
| <b>NEW</b> AUG 44-25-16-□□ | 56 | 258 | 168 | 1.0         |
| <b>NEW</b> AUG 44-25-20-□□ | 56 | 258 | 208 | 1.1         |
| <b>NEW</b> AUG 44-25-25-□□ | 56 | 258 | 258 | 1.3         |
| <b>NEW</b> AUG 44-25-30-□□ | 56 | 258 | 308 | 1.5         |
| <b>NEW</b> AUG 44-25-36-□□ | 56 | 258 | 368 | 1.7         |
| <b>NEW</b> AUG 44-25-43-□□ | 56 | 258 | 438 | 2.0         |
| <b>NEW</b> AUG 44-30-16-□□ | 56 | 308 | 168 | 1.1         |
| <b>NEW</b> AUG 44-30-20-□□ | 56 | 308 | 208 | 1.3         |
| <b>NEW</b> AUG 44-30-25-□□ | 56 | 308 | 258 | 1.5         |
| <b>NEW</b> AUG 44-30-30-□□ | 56 | 308 | 308 | 1.7         |
| <b>NEW</b> AUG 44-30-36-□□ | 56 | 308 | 368 | 2.0         |
| <b>NEW</b> AUG 44-30-43-□□ | 56 | 308 | 438 | 2.3         |
| <b>NEW</b> AUG 44-30-50-□□ | 56 | 308 | 508 | 2.6         |
| <b>NEW</b> AUG 44-36-16-□□ | 56 | 368 | 168 | 1.3         |
| <b>NEW</b> AUG 44-36-20-□□ | 56 | 368 | 208 | 1.5         |
| <b>NEW</b> AUG 44-36-25-□□ | 56 | 368 | 258 | 1.7         |
| <b>NEW</b> AUG 44-36-30-□□ | 56 | 368 | 308 | 2.0         |
| <b>NEW</b> AUG 44-36-36-□□ | 56 | 368 | 368 | 2.3         |
| <b>NEW</b> AUG 44-36-43-□□ | 56 | 368 | 438 | 2.7         |
| <b>NEW</b> AUG 44-36-50-□□ | 56 | 368 | 508 | 3.0         |
| <b>NEW</b> AUG 44-43-16-□□ | 56 | 438 | 168 | 1.5         |
| <b>NEW</b> AUG 44-43-20-□□ | 56 | 438 | 208 | 1.7         |
| <b>NEW</b> AUG 44-43-25-□□ | 56 | 438 | 258 | 2.0         |
| <b>NEW</b> AUG 44-43-30-□□ | 56 | 438 | 308 | 2.3         |
| <b>NEW</b> AUG 44-43-36-□□ | 56 | 438 | 368 | 2.6         |
| <b>NEW</b> AUG 44-43-43-□□ | 56 | 438 | 438 | 3.0         |
| <b>NEW</b> AUG 44-43-50-□□ | 56 | 438 | 508 | 3.4         |
| <b>NEW</b> AUG 44-50-30-□□ | 56 | 508 | 308 | 2.6         |
| <b>NEW</b> AUG 44-50-36-□□ | 56 | 508 | 368 | 3.0         |
| <b>NEW</b> AUG 44-50-43-□□ | 56 | 508 | 438 | 3.4         |
| <b>NEW</b> AUG 44-50-50-□□ | 56 | 508 | 508 | 3.9         |

| Product no.                | H  | W   | D   | Weight (kg) |
|----------------------------|----|-----|-----|-------------|
| AUG 66-16-16-□□            | 78 | 168 | 168 | 0.9         |
| AUG 66-16-20-□□            | 78 | 168 | 208 | 1.0         |
| AUG 66-16-25-□□            | 78 | 168 | 258 | 1.2         |
| AUG 66-16-30-□□            | 78 | 168 | 308 | 1.3         |
| <b>NEW</b> AUG 66-16-36-□□ | 78 | 168 | 368 | 1.5         |
| <b>NEW</b> AUG 66-16-43-□□ | 78 | 168 | 438 | 1.8         |
| AUG 66-20-16-□□            | 78 | 208 | 168 | 1.0         |
| AUG 66-20-20-□□            | 78 | 208 | 208 | 1.2         |
| AUG 66-20-25-□□            | 78 | 208 | 258 | 1.3         |
| AUG 66-20-30-□□            | 78 | 208 | 308 | 1.5         |
| AUG 66-20-36-□□            | 78 | 208 | 368 | 1.7         |
| AUG 66-20-43-□□            | 78 | 208 | 438 | 2.0         |
| AUG 66-25-16-□□            | 78 | 258 | 168 | 1.2         |
| AUG 66-25-20-□□            | 78 | 258 | 208 | 1.3         |
| AUG 66-25-25-□□            | 78 | 258 | 258 | 1.5         |
| AUG 66-25-30-□□            | 78 | 258 | 308 | 1.7         |
| AUG 66-25-36-□□            | 78 | 258 | 368 | 2.0         |
| AUG 66-25-43-□□            | 78 | 258 | 438 | 2.3         |
| AUG 66-30-16-□□            | 78 | 308 | 168 | 1.3         |
| AUG 66-30-20-□□            | 78 | 308 | 208 | 1.5         |
| AUG 66-30-25-□□            | 78 | 308 | 258 | 1.7         |
| AUG 66-30-30-□□            | 78 | 308 | 308 | 2.0         |
| AUG 66-30-36-□□            | 78 | 308 | 368 | 2.2         |
| AUG 66-30-43-□□            | 78 | 308 | 438 | 2.6         |
| AUG 66-30-50-□□            | 78 | 308 | 508 | 2.9         |
| <b>NEW</b> AUG 66-36-16-□□ | 78 | 368 | 168 | 1.5         |
| AUG 66-36-20-□□            | 78 | 368 | 208 | 1.7         |
| AUG 66-36-25-□□            | 78 | 368 | 258 | 2.0         |
| AUG 66-36-30-□□            | 78 | 368 | 308 | 2.2         |
| AUG 66-36-36-□□            | 78 | 368 | 368 | 2.5         |
| AUG 66-36-43-□□            | 78 | 368 | 438 | 2.9         |
| AUG 66-36-50-□□            | 78 | 368 | 508 | 3.3         |
| <b>NEW</b> AUG 66-43-16-□□ | 78 | 438 | 168 | 1.7         |
| AUG 66-43-20-□□            | 78 | 438 | 208 | 2.0         |
| AUG 66-43-25-□□            | 78 | 438 | 258 | 2.3         |
| AUG 66-43-30-□□            | 78 | 438 | 308 | 2.6         |
| AUG 66-43-36-□□            | 78 | 438 | 368 | 2.9         |
| AUG 66-43-43-□□            | 78 | 438 | 438 | 3.3         |
| AUG 66-43-50-□□            | 78 | 438 | 508 | 3.8         |
| AUG 66-50-30-□□            | 78 | 508 | 308 | 2.9         |
| AUG 66-50-36-□□            | 78 | 508 | 368 | 3.3         |
| AUG 66-50-43-□□            | 78 | 508 | 438 | 3.8         |
| AUG 66-50-50-□□            | 78 | 508 | 508 | 4.2         |

## Product no. / Details



| Product no.                | H     | W   | D   | Weight (kg) |
|----------------------------|-------|-----|-----|-------------|
| AUG 88-16-16-□□            | 100   | 168 | 168 | 1.0         |
| AUG 88-16-20-□□            | 100   | 168 | 208 | 1.1         |
| AUG 88-16-25-□□            | 100   | 168 | 258 | 1.3         |
| AUG 88-16-30-□□            | 100   | 168 | 308 | 1.5         |
| <b>NEW</b> AUG 88-16-36-□□ | 100   | 168 | 368 | 1.7         |
| <b>NEW</b> AUG 88-16-43-□□ | 100   | 168 | 438 | 1.9         |
| AUG 88-20-16-□□            | 100   | 208 | 168 | 1.1         |
| AUG 88-20-20-□□            | 100   | 208 | 208 | 1.3         |
| AUG 88-20-25-□□            | 100   | 208 | 258 | 1.5         |
| AUG 88-20-30-□□            | 100   | 208 | 308 | 1.7         |
| AUG 88-20-36-□□            | 100   | 208 | 368 | 1.9         |
| AUG 88-20-43-□□            | 100   | 208 | 438 | 2.2         |
| AUG 88-25-16-□□            | 100   | 258 | 168 | 1.3         |
| AUG 88-25-20-□□            | 100   | 258 | 208 | 1.5         |
| AUG 88-25-25-□□            | 100   | 258 | 258 | 1.7         |
| AUG 88-25-30-□□            | 100   | 258 | 308 | 1.9         |
| AUG 88-25-36-□□            | 100   | 258 | 368 | 2.2         |
| AUG 88-25-43-□□            | 100   | 258 | 438 | 2.5         |
| AUG 88-30-16-□□            | 100   | 308 | 168 | 1.4         |
| AUG 88-30-20-□□            | 100   | 308 | 208 | 1.6         |
| AUG 88-30-25-□□            | 100   | 308 | 258 | 1.9         |
| AUG 88-30-30-□□            | 100   | 308 | 308 | 2.1         |
| AUG 88-30-36-□□            | 100   | 308 | 368 | 2.4         |
| AUG 88-30-43-□□            | 100   | 308 | 438 | 2.8         |
| AUG 88-30-50-□□            | 100   | 308 | 508 | 3.1         |
| <b>NEW</b> AUG 88-36-16-□□ | 100   | 368 | 168 | 1.6         |
| AUG 88-36-20-□□            | 100   | 368 | 208 | 1.8         |
| AUG 88-36-25-□□            | 100   | 368 | 258 | 2.1         |
| AUG 88-36-30-□□            | 100   | 368 | 308 | 2.4         |
| AUG 88-36-36-□□            | 100   | 368 | 368 | 2.7         |
| AUG 88-36-43-□□            | 100   | 368 | 438 | 3.2         |
| AUG 88-36-50-□□            | 100   | 368 | 508 | 3.5         |
| <b>NEW</b> AUG 88-43-16-□□ | 100   | 438 | 168 | 1.9         |
| AUG 88-43-20-□□            | 100   | 438 | 208 | 2.1         |
| AUG 88-43-25-□□            | 100   | 438 | 258 | 2.4         |
| AUG 88-43-30-□□            | 100   | 438 | 308 | 2.8         |
| AUG 88-43-36-□□            | 100   | 438 | 368 | 3.1         |
| AUG 88-43-43-□□            | 100   | 438 | 438 | 3.6         |
| AUG 88-43-50-□□            | 100   | 438 | 508 | 4.0         |
| AUG 88-50-30-□□            | 100   | 508 | 308 | 3.1         |
| AUG 88-50-36-□□            | 100   | 508 | 368 | 3.5         |
| AUG 88-50-43-□□            | 100   | 508 | 438 | 4.0         |
| AUG 88-50-50-□□            | 100   | 508 | 508 | 4.5         |
| AUG133-16-16-□□            | 144.5 | 168 | 168 | 1.2         |
| AUG133-16-20-□□            | 144.5 | 168 | 208 | 1.4         |
| AUG133-16-25-□□            | 144.5 | 168 | 258 | 1.6         |
| AUG133-16-30-□□            | 144.5 | 168 | 308 | 1.8         |
| <b>NEW</b> AUG133-16-36-□□ | 144.5 | 168 | 368 | 2.1         |
| <b>NEW</b> AUG133-16-43-□□ | 144.5 | 168 | 438 | 2.4         |
| AUG133-20-16-□□            | 144.5 | 208 | 168 | 1.4         |
| AUG133-20-20-□□            | 144.5 | 208 | 208 | 1.6         |
| AUG133-20-25-□□            | 144.5 | 208 | 258 | 1.8         |
| AUG133-20-30-□□            | 144.5 | 208 | 308 | 2.0         |
| AUG133-20-36-□□            | 144.5 | 208 | 368 | 2.3         |
| AUG133-20-43-□□            | 144.5 | 208 | 438 | 2.7         |
| AUG133-25-16-□□            | 144.5 | 258 | 168 | 1.5         |
| AUG133-25-20-□□            | 144.5 | 258 | 208 | 1.8         |
| AUG133-25-25-□□            | 144.5 | 258 | 258 | 2.0         |
| AUG133-25-30-□□            | 144.5 | 258 | 308 | 2.3         |
| AUG133-25-36-□□            | 144.5 | 258 | 368 | 2.6         |
| AUG133-25-43-□□            | 144.5 | 258 | 438 | 3.0         |
| AUG133-30-16-□□            | 144.5 | 308 | 168 | 1.7         |
| AUG133-30-20-□□            | 144.5 | 308 | 208 | 2.0         |
| AUG133-30-25-□□            | 144.5 | 308 | 258 | 2.2         |
| AUG133-30-30-□□            | 144.5 | 308 | 308 | 2.5         |

■ Please suffix color code at the end of the product number.


| Product no.                | H     | W   | D   | Weight (kg) |
|----------------------------|-------|-----|-----|-------------|
| AUG133-30-36-□□            | 144.5 | 308 | 368 | 2.9         |
| AUG133-30-43-□□            | 144.5 | 308 | 438 | 3.3         |
| AUG133-30-50-□□            | 144.5 | 308 | 508 | 3.7         |
| <b>NEW</b> AUG133-36-16-□□ | 144.5 | 368 | 168 | 1.9         |
| AUG133-36-20-□□            | 144.5 | 368 | 208 | 2.2         |
| AUG133-36-25-□□            | 144.5 | 368 | 258 | 2.5         |
| AUG133-36-30-□□            | 144.5 | 368 | 308 | 2.8         |
| AUG133-36-36-□□            | 144.5 | 368 | 368 | 3.2         |
| AUG133-36-43-□□            | 144.5 | 368 | 438 | 3.7         |
| AUG133-36-50-□□            | 144.5 | 368 | 508 | 4.2         |
| <b>NEW</b> AUG133-43-16-□□ | 144.5 | 438 | 168 | 2.2         |
| AUG133-43-20-□□            | 144.5 | 438 | 208 | 2.5         |
| AUG133-43-25-□□            | 144.5 | 438 | 258 | 2.9         |
| AUG133-43-30-□□            | 144.5 | 438 | 308 | 3.2         |
| AUG133-43-36-□□            | 144.5 | 438 | 368 | 3.6         |
| AUG133-43-43-□□            | 144.5 | 438 | 438 | 4.2         |
| AUG133-43-50-□□            | 144.5 | 438 | 508 | 4.7         |
| AUG133-50-30-□□            | 144.5 | 508 | 308 | 3.6         |
| AUG133-50-36-□□            | 144.5 | 508 | 368 | 4.0         |
| AUG133-50-43-□□            | 144.5 | 508 | 438 | 4.6         |
| AUG133-50-50-□□            | 144.5 | 508 | 508 | 5.2         |
| <b>NEW</b> AUG177-16-16-□□ | 189   | 168 | 168 | 1.4         |
| <b>NEW</b> AUG177-16-20-□□ | 189   | 168 | 208 | 1.6         |
| <b>NEW</b> AUG177-16-25-□□ | 189   | 168 | 258 | 1.8         |
| <b>NEW</b> AUG177-16-30-□□ | 189   | 168 | 308 | 2.1         |
| <b>NEW</b> AUG177-16-36-□□ | 189   | 168 | 368 | 2.4         |
| <b>NEW</b> AUG177-16-43-□□ | 189   | 168 | 438 | 2.8         |
| <b>NEW</b> AUG177-20-16-□□ | 189   | 208 | 168 | 1.5         |
| <b>NEW</b> AUG177-20-20-□□ | 189   | 208 | 208 | 1.8         |
| <b>NEW</b> AUG177-20-25-□□ | 189   | 208 | 258 | 2.0         |
| <b>NEW</b> AUG177-20-30-□□ | 189   | 208 | 308 | 2.3         |
| <b>NEW</b> AUG177-20-36-□□ | 189   | 208 | 368 | 2.6         |
| <b>NEW</b> AUG177-20-43-□□ | 189   | 208 | 438 | 3.0         |
| <b>NEW</b> AUG177-25-16-□□ | 189   | 258 | 168 | 1.7         |
| <b>NEW</b> AUG177-25-20-□□ | 189   | 258 | 208 | 2.0         |
| <b>NEW</b> AUG177-25-25-□□ | 189   | 258 | 258 | 2.3         |
| <b>NEW</b> AUG177-25-30-□□ | 189   | 258 | 308 | 2.6         |
| <b>NEW</b> AUG177-25-36-□□ | 189   | 258 | 368 | 2.9         |
| <b>NEW</b> AUG177-25-43-□□ | 189   | 258 | 438 | 3.4         |
| <b>NEW</b> AUG177-30-16-□□ | 189   | 308 | 168 | 1.9         |
| <b>NEW</b> AUG177-30-20-□□ | 189   | 308 | 208 | 2.2         |
| <b>NEW</b> AUG177-30-25-□□ | 189   | 308 | 258 | 2.5         |
| <b>NEW</b> AUG177-30-30-□□ | 189   | 308 | 308 | 2.8         |
| <b>NEW</b> AUG177-30-36-□□ | 189   | 308 | 368 | 3.2         |
| <b>NEW</b> AUG177-30-43-□□ | 189   | 308 | 438 | 3.7         |
| <b>NEW</b> AUG177-30-50-□□ | 189   | 308 | 508 | 4.2         |
| <b>NEW</b> AUG177-36-16-□□ | 189   | 368 | 168 | 2.1         |
| <b>NEW</b> AUG177-36-20-□□ | 189   | 368 | 208 | 2.4         |
| <b>NEW</b> AUG177-36-25-□□ | 189   | 368 | 258 | 2.8         |
| <b>NEW</b> AUG177-36-30-□□ | 189   | 368 | 308 | 3.2         |
| <b>NEW</b> AUG177-36-36-□□ | 189   | 368 | 368 | 3.6         |
| <b>NEW</b> AUG177-36-43-□□ | 189   | 368 | 438 | 4.1         |
| <b>NEW</b> AUG177-36-50-□□ | 189   | 368 | 508 | 4.6         |
| <b>NEW</b> AUG177-43-16-□□ | 189   | 438 | 168 | 2.4         |
| <b>NEW</b> AUG177-43-20-□□ | 189   | 438 | 208 | 2.8         |
| <b>NEW</b> AUG177-43-25-□□ | 189   | 438 | 258 | 3.2         |
| <b>NEW</b> AUG177-43-30-□□ | 189   | 438 | 308 | 3.6         |
| <b>NEW</b> AUG177-43-36-□□ | 189   | 438 | 368 | 4.0         |
| <b>NEW</b> AUG177-43-43-□□ | 189   | 438 | 438 | 4.6         |
| <b>NEW</b> AUG177-43-50-□□ | 189   | 438 | 508 | 5.1         |
| <b>NEW</b> AUG177-50-30-□□ | 189   | 508 | 308 | 3.9         |
| <b>NEW</b> AUG177-50-36-□□ | 189   | 508 | 368 | 4.5         |
| <b>NEW</b> AUG177-50-43-□□ | 189   | 508 | 438 | 5.1         |
| <b>NEW</b> AUG177-50-50-□□ | 189   | 508 | 508 | 5.7         |



EMC  
Shielding  
Effects



- Shielding gasket allows the enclosure to be EMC shielded.
- Rugged design EMC shielded aluminium enclosure with TPE (Elastomer) corner guards. Corner guards also act as non-slip rubber feet.
- Suitable to be used as an easy maintenance desktop case due to its detachable front/rear panels. Captive screws allow for ease of maintenance as there is little risk of the screws dropping out and getting lost.
- A large selection of 177 different sizes to choose from.
- A total of 4 selectable color combinations with a silver anodized body and 4 corner guard colors - Black, Gray, Navy and Red.



#### Included screws :

- Top / Bottom cover (not applicable to some models)  
M3-5 original trapezoid head (hex) & Nickel plated x 4~8 pcs
- Frame / Panel support frame  
M3-8 flat head & Nickel plated x 16 pcs
- Corner guard  
M3-10 hex & Black trivalent chromate x 8 pcs
- \* Hex wrench included.
- Panel  
Captive M2.5-7 pan head & Nickel plated x 8~12 pcs

Recommended torque :

|                   |                 |
|-------------------|-----------------|
| M3 -10 hex :      | 0.2N • m        |
| M2.5-7 pan head : | 0.15 ~ 0.2N • m |
| Other screws :    | 0.3 ~ 0.6N • m  |

\* Recommended torque listed is for reference only; actual may differ.  
Assemble after testing torque.




## Components

| No. | Part name            | Pcs | Material                     | Color / Finish                       |
|-----|----------------------|-----|------------------------------|--------------------------------------|
| 1   | Corner block         | 4   | Diecast aluminium ADC12      | Silver / Painted (Unfinished inside) |
| 2   | Frame                | 2   | Extruded aluminium A6063S-T5 | Silver / Painted (Unfinished inside) |
| 3   | Panel support frame  | 4   | Extruded aluminium A6063S-T5 | Silver / Painted (Unfinished inside) |
| 4   | Panel                | 2   | Aluminium A1100P             | Silver / Painted (Conductive inside) |
| 5   | Top • bottom cover   | 2   | Aluminium A1100P             | Silver / Painted (Conductive inside) |
| 6   | Corner guard         | 8   | TPE (Elastomer)              | Black • Gray • Navy • Red            |
| 7   | EMC shielding gasket | 16  | Conductive fiber UL94V-0     | Metallic gray                        |

## Color

Please choose from the color combinations listed below.

**S** **B** (Silver / Black)

**S** **G** (Silver / Gray)

**S** **N** (Silver / Navy)

**S** **R** (Silver / Red)


## Product Number

To determine a product number, fill H-W-D dimensions and select Color code in the following blank boxes.

**AUGE**

---

**H-W-D dimensions**

See page 177~178 for dimensions / product no.

**Color**


SB • SG • SN • SR

**Numbering example :**

If looking at "H144.5 x W438 x D308mm, Color type SN"

➡ **AUGE 133-43-30-SN**

## Accessories (Optional parts)




Mounting plate AUC series  
See page 179 ~ 180



Elastomer carrying handle FM200  
See page FM200 • MH




Tilt leg TLW series  
See page 222



EMC shielding fan filter EMF series  
See page Fan-4

## AUGE dimensions

■ DXF/DWG/PDF/STP drawings available on our website.



## Product no. / Details

■ Please suffix color code at the end of the product number.

| Product no.                 | H  | W   | D   | Weight (kg) |
|-----------------------------|----|-----|-----|-------------|
| AUGE 66-16-16-□□            | 78 | 168 | 168 | 0.9         |
| AUGE 66-16-20-□□            | 78 | 168 | 208 | 1.1         |
| AUGE 66-16-25-□□            | 78 | 168 | 258 | 1.2         |
| AUGE 66-16-30-□□            | 78 | 168 | 308 | 1.4         |
| <b>NEW</b> AUGE 66-16-36-□□ | 78 | 168 | 368 | 1.6         |
| <b>NEW</b> AUGE 66-16-43-□□ | 78 | 168 | 438 | 1.8         |
| AUGE 66-20-16-□□            | 78 | 208 | 168 | 1.1         |
| AUGE 66-20-20-□□            | 78 | 208 | 208 | 1.2         |
| AUGE 66-20-25-□□            | 78 | 208 | 258 | 1.4         |
| AUGE 66-20-30-□□            | 78 | 208 | 308 | 1.6         |
| AUGE 66-20-36-□□            | 78 | 208 | 368 | 1.8         |
| AUGE 66-20-43-□□            | 78 | 208 | 438 | 2.1         |
| AUGE 66-25-16-□□            | 78 | 258 | 168 | 1.2         |
| AUGE 66-25-20-□□            | 78 | 258 | 208 | 1.4         |
| AUGE 66-25-25-□□            | 78 | 258 | 258 | 1.6         |
| AUGE 66-25-30-□□            | 78 | 258 | 308 | 1.8         |
| AUGE 66-25-36-□□            | 78 | 258 | 368 | 2.0         |
| AUGE 66-25-43-□□            | 78 | 258 | 438 | 2.4         |
| AUGE 66-30-16-□□            | 78 | 308 | 168 | 1.4         |
| AUGE 66-30-20-□□            | 78 | 308 | 208 | 1.6         |
| AUGE 66-30-25-□□            | 78 | 308 | 258 | 1.8         |
| AUGE 66-30-30-□□            | 78 | 308 | 308 | 2.0         |

| Product no.                 | H  | W   | D   | Weight (kg) |
|-----------------------------|----|-----|-----|-------------|
| AUGE 66-30-36-□□            | 78 | 308 | 368 | 2.3         |
| AUGE 66-30-43-□□            | 78 | 308 | 438 | 2.7         |
| AUGE 66-30-50-□□            | 78 | 308 | 508 | 3.0         |
| <b>NEW</b> AUGE 66-36-16-□□ | 78 | 368 | 168 | 1.6         |
| AUGE 66-36-20-□□            | 78 | 368 | 208 | 1.8         |
| AUGE 66-36-25-□□            | 78 | 368 | 258 | 2.1         |
| AUGE 66-36-30-□□            | 78 | 368 | 308 | 2.3         |
| AUGE 66-36-36-□□            | 78 | 368 | 368 | 2.6         |
| AUGE 66-36-43-□□            | 78 | 368 | 438 | 3.0         |
| AUGE 66-36-50-□□            | 78 | 368 | 508 | 3.4         |
| <b>NEW</b> AUGE 66-43-16-□□ | 78 | 438 | 168 | 1.8         |
| AUGE 66-43-20-□□            | 78 | 438 | 208 | 2.1         |
| AUGE 66-43-25-□□            | 78 | 438 | 258 | 2.4         |
| AUGE 66-43-30-□□            | 78 | 438 | 308 | 2.7         |
| AUGE 66-43-36-□□            | 78 | 438 | 368 | 3.0         |
| AUGE 66-43-43-□□            | 78 | 438 | 438 | 3.5         |
| AUGE 66-43-50-□□            | 78 | 438 | 508 | 3.9         |
| AUGE 66-50-30-□□            | 78 | 508 | 308 | 3.0         |
| AUGE 66-50-36-□□            | 78 | 508 | 368 | 3.4         |
| AUGE 66-50-43-□□            | 78 | 508 | 438 | 3.9         |
| AUGE 66-50-50-□□            | 78 | 508 | 508 | 4.4         |



## Product no. / Details


■ Please suffix color code at the end of the product number.

| Product no.                 | H     | W   | D   | Weight (kg) |
|-----------------------------|-------|-----|-----|-------------|
| AUGE 88-16-16-□□            | 100   | 168 | 168 | 1.0         |
| AUGE 88-16-20-□□            | 100   | 168 | 208 | 1.2         |
| AUGE 88-16-25-□□            | 100   | 168 | 258 | 1.4         |
| AUGE 88-16-30-□□            | 100   | 168 | 308 | 1.5         |
| <b>NEW</b> AUGE 88-16-36-□□ | 100   | 168 | 368 | 1.8         |
| <b>NEW</b> AUGE 88-16-43-□□ | 100   | 168 | 438 | 2.0         |
| AUGE 88-20-16-□□            | 100   | 208 | 168 | 1.2         |
| AUGE 88-20-20-□□            | 100   | 208 | 208 | 1.3         |
| AUGE 88-20-25-□□            | 100   | 208 | 258 | 1.5         |
| AUGE 88-20-30-□□            | 100   | 208 | 308 | 1.7         |
| AUGE 88-20-36-□□            | 100   | 208 | 368 | 1.9         |
| AUGE 88-20-43-□□            | 100   | 208 | 438 | 2.2         |
| AUGE 88-25-16-□□            | 100   | 258 | 168 | 1.4         |
| AUGE 88-25-20-□□            | 100   | 258 | 208 | 1.5         |
| AUGE 88-25-25-□□            | 100   | 258 | 258 | 1.7         |
| AUGE 88-25-30-□□            | 100   | 258 | 308 | 2.0         |
| AUGE 88-25-36-□□            | 100   | 258 | 368 | 2.2         |
| AUGE 88-25-43-□□            | 100   | 258 | 438 | 2.6         |
| AUGE 88-30-16-□□            | 100   | 308 | 168 | 1.5         |
| AUGE 88-30-20-□□            | 100   | 308 | 208 | 1.7         |
| AUGE 88-30-25-□□            | 100   | 308 | 258 | 2.0         |
| AUGE 88-30-30-□□            | 100   | 308 | 308 | 2.2         |
| AUGE 88-30-36-□□            | 100   | 308 | 368 | 2.5         |
| AUGE 88-30-43-□□            | 100   | 308 | 438 | 2.9         |
| AUGE 88-30-50-□□            | 100   | 308 | 508 | 3.2         |
| <b>NEW</b> AUGE 88-36-16-□□ | 100   | 368 | 168 | 1.8         |
| AUGE 88-36-20-□□            | 100   | 368 | 208 | 2.0         |
| AUGE 88-36-25-□□            | 100   | 368 | 258 | 2.2         |
| AUGE 88-36-30-□□            | 100   | 368 | 308 | 2.5         |
| AUGE 88-36-36-□□            | 100   | 368 | 368 | 2.8         |
| AUGE 88-36-43-□□            | 100   | 368 | 438 | 3.3         |
| AUGE 88-36-50-□□            | 100   | 368 | 508 | 3.7         |
| <b>NEW</b> AUGE 88-43-16-□□ | 100   | 438 | 168 | 1.9         |
| AUGE 88-43-20-□□            | 100   | 438 | 208 | 2.3         |
| AUGE 88-43-25-□□            | 100   | 438 | 258 | 2.6         |
| AUGE 88-43-30-□□            | 100   | 438 | 308 | 2.9         |
| AUGE 88-43-36-□□            | 100   | 438 | 368 | 3.3         |
| AUGE 88-43-43-□□            | 100   | 438 | 438 | 3.7         |
| AUGE 88-43-50-□□            | 100   | 438 | 508 | 4.2         |
| AUGE 88-50-30-□□            | 100   | 508 | 308 | 3.2         |
| AUGE 88-50-36-□□            | 100   | 508 | 368 | 3.7         |
| AUGE 88-50-43-□□            | 100   | 508 | 438 | 4.2         |
| AUGE 88-50-50-□□            | 100   | 508 | 508 | 4.7         |
| AUGE133-16-16-□□            | 144.5 | 168 | 168 | 1.3         |
| AUGE133-16-20-□□            | 144.5 | 168 | 208 | 1.5         |
| AUGE133-16-25-□□            | 144.5 | 168 | 258 | 1.7         |
| AUGE133-16-30-□□            | 144.5 | 168 | 308 | 1.9         |
| <b>NEW</b> AUGE133-16-36-□□ | 144.5 | 168 | 368 | 2.2         |
| <b>NEW</b> AUGE133-16-43-□□ | 144.5 | 168 | 438 | 2.4         |
| AUGE133-20-16-□□            | 144.5 | 208 | 168 | 1.4         |
| AUGE133-20-20-□□            | 144.5 | 208 | 208 | 1.6         |
| AUGE133-20-25-□□            | 144.5 | 208 | 258 | 1.9         |
| AUGE133-20-30-□□            | 144.5 | 208 | 308 | 2.1         |
| AUGE133-20-36-□□            | 144.5 | 208 | 368 | 2.4         |
| AUGE133-20-43-□□            | 144.5 | 208 | 438 | 2.8         |
| AUGE133-25-16-□□            | 144.5 | 258 | 168 | 1.6         |
| AUGE133-25-20-□□            | 144.5 | 258 | 208 | 1.9         |
| AUGE133-25-25-□□            | 144.5 | 258 | 258 | 2.1         |
| AUGE133-25-30-□□            | 144.5 | 258 | 308 | 2.4         |
| AUGE133-25-36-□□            | 144.5 | 258 | 368 | 2.7         |
| AUGE133-25-43-□□            | 144.5 | 258 | 438 | 3.1         |
| AUGE133-30-16-□□            | 144.5 | 308 | 168 | 1.8         |
| AUGE133-30-20-□□            | 144.5 | 308 | 208 | 2.1         |
| AUGE133-30-25-□□            | 144.5 | 308 | 258 | 2.4         |
| AUGE133-30-30-□□            | 144.5 | 308 | 308 | 2.7         |

| Product no.                 | H     | W   | D   | Weight (kg) |
|-----------------------------|-------|-----|-----|-------------|
| AUGE133-30-36-□□            | 144.5 | 308 | 368 | 3.0         |
| AUGE133-30-43-□□            | 144.5 | 308 | 438 | 3.4         |
| AUGE133-30-50-□□            | 144.5 | 308 | 508 | 3.8         |
| <b>NEW</b> AUGE133-36-16-□□ | 144.5 | 368 | 168 | 2.1         |
| AUGE133-36-20-□□            | 144.5 | 368 | 208 | 2.3         |
| AUGE133-36-25-□□            | 144.5 | 368 | 258 | 2.7         |
| AUGE133-36-30-□□            | 144.5 | 368 | 308 | 3.0         |
| AUGE133-36-36-□□            | 144.5 | 368 | 368 | 3.4         |
| AUGE133-36-43-□□            | 144.5 | 368 | 438 | 3.9         |
| AUGE133-36-50-□□            | 144.5 | 368 | 508 | 4.3         |
| <b>NEW</b> AUGE133-43-16-□□ | 144.5 | 438 | 168 | 2.4         |
| AUGE133-43-20-□□            | 144.5 | 438 | 208 | 2.7         |
| AUGE133-43-25-□□            | 144.5 | 438 | 258 | 3.0         |
| AUGE133-43-30-□□            | 144.5 | 438 | 308 | 3.4         |
| AUGE133-43-36-□□            | 144.5 | 438 | 368 | 3.8         |
| AUGE133-43-43-□□            | 144.5 | 438 | 438 | 4.3         |
| AUGE133-43-50-□□            | 144.5 | 438 | 508 | 4.9         |
| AUGE133-50-30-□□            | 144.5 | 508 | 308 | 3.8         |
| AUGE133-50-36-□□            | 144.5 | 508 | 368 | 4.3         |
| AUGE133-50-43-□□            | 144.5 | 508 | 438 | 4.8         |
| AUGE133-50-50-□□            | 144.5 | 508 | 508 | 5.4         |
| <b>NEW</b> AUGE177-16-16-□□ | 189   | 168 | 168 | 1.5         |
| <b>NEW</b> AUGE177-16-20-□□ | 189   | 168 | 208 | 1.7         |
| <b>NEW</b> AUGE177-16-25-□□ | 189   | 168 | 258 | 1.9         |
| <b>NEW</b> AUGE177-16-30-□□ | 189   | 168 | 308 | 2.2         |
| <b>NEW</b> AUGE177-16-36-□□ | 189   | 168 | 368 | 2.5         |
| <b>NEW</b> AUGE177-16-43-□□ | 189   | 168 | 438 | 2.8         |
| <b>NEW</b> AUGE177-20-16-□□ | 189   | 208 | 168 | 1.6         |
| <b>NEW</b> AUGE177-20-20-□□ | 189   | 208 | 208 | 1.9         |
| <b>NEW</b> AUGE177-20-25-□□ | 189   | 208 | 258 | 2.1         |
| <b>NEW</b> AUGE177-20-30-□□ | 189   | 208 | 308 | 2.4         |
| <b>NEW</b> AUGE177-20-36-□□ | 189   | 208 | 368 | 2.7         |
| <b>NEW</b> AUGE177-20-43-□□ | 189   | 208 | 438 | 3.1         |
| <b>NEW</b> AUGE177-25-16-□□ | 189   | 258 | 168 | 1.9         |
| <b>NEW</b> AUGE177-25-20-□□ | 189   | 258 | 208 | 2.1         |
| <b>NEW</b> AUGE177-25-25-□□ | 189   | 258 | 258 | 2.4         |
| <b>NEW</b> AUGE177-25-30-□□ | 189   | 258 | 308 | 2.7         |
| <b>NEW</b> AUGE177-25-36-□□ | 189   | 258 | 368 | 3.1         |
| <b>NEW</b> AUGE177-25-43-□□ | 189   | 258 | 438 | 3.5         |
| <b>NEW</b> AUGE177-30-16-□□ | 189   | 308 | 168 | 2.1         |
| <b>NEW</b> AUGE177-30-20-□□ | 189   | 308 | 208 | 2.3         |
| <b>NEW</b> AUGE177-30-25-□□ | 189   | 308 | 258 | 2.7         |
| <b>NEW</b> AUGE177-30-30-□□ | 189   | 308 | 308 | 3.0         |
| <b>NEW</b> AUGE177-30-36-□□ | 189   | 308 | 368 | 3.4         |
| <b>NEW</b> AUGE177-30-43-□□ | 189   | 308 | 438 | 3.8         |
| <b>NEW</b> AUGE177-30-50-□□ | 189   | 308 | 508 | 4.3         |
| <b>NEW</b> AUGE177-36-16-□□ | 189   | 368 | 168 | 2.3         |
| <b>NEW</b> AUGE177-36-20-□□ | 189   | 368 | 208 | 2.6         |
| <b>NEW</b> AUGE177-36-25-□□ | 189   | 368 | 258 | 3.0         |
| <b>NEW</b> AUGE177-36-30-□□ | 189   | 368 | 308 | 3.3         |
| <b>NEW</b> AUGE177-36-36-□□ | 189   | 368 | 368 | 3.8         |
| <b>NEW</b> AUGE177-36-43-□□ | 189   | 368 | 438 | 4.3         |
| <b>NEW</b> AUGE177-36-50-□□ | 189   | 368 | 508 | 4.8         |
| <b>NEW</b> AUGE177-43-16-□□ | 189   | 438 | 168 | 2.7         |
| <b>NEW</b> AUGE177-43-20-□□ | 189   | 438 | 208 | 3.0         |
| <b>NEW</b> AUGE177-43-25-□□ | 189   | 438 | 258 | 3.4         |
| <b>NEW</b> AUGE177-43-30-□□ | 189   | 438 | 308 | 3.8         |
| <b>NEW</b> AUGE177-43-36-□□ | 189   | 438 | 368 | 4.2         |
| <b>NEW</b> AUGE177-43-43-□□ | 189   | 438 | 438 | 4.8         |
| <b>NEW</b> AUGE177-43-50-□□ | 189   | 438 | 508 | 5.4         |
| <b>NEW</b> AUGE177-50-30-□□ | 189   | 508 | 308 | 4.2         |
| <b>NEW</b> AUGE177-50-36-□□ | 189   | 508 | 368 | 4.7         |
| <b>NEW</b> AUGE177-50-43-□□ | 189   | 508 | 438 | 5.3         |
| <b>NEW</b> AUGE177-50-50-□□ | 189   | 508 | 508 | 5.9         |



- Elegantly designed aluminium enclosure with front/rear panels.
- A large selection of 177 different sizes to choose from.
- Top/bottom covers and front/rear panels are made from easily customizable sheet aluminium material.
- Versatile aluminium enclosure suitable for use as measuring instrument, controller, industrial embedded computer, power supply, audio amplifier, and so on.
- Feet is selectable between rubber or aluminium type.




## Included screws

- Top / Bottom cover  
M3-5 original trapezoid head (plus / hex) &  
Nickel plated / Black trivalent chromate x 8~16 pcs
- Frame / Panel support frame  
M3-8 flat head & Nickel plated x 16 pcs
- Rubber feet / Aluminium feet  
M4-8 blind head & Black trivalent chromate x 4 pcs

Recommended torque :  $0.3 \sim 0.6 \text{ N} \cdot \text{m}$ 

\* Recommended torque listed is for reference only; actual may differ.  
Assemble after testing torque.



Optional mounting plate  
(Sold separately)

## Components

| No. | Part name                    | Pcs | Material                     | Color / Finish                               |
|-----|------------------------------|-----|------------------------------|----------------------------------------------|
| 1   | Corner block                 | 4   | Diecast aluminium ADC12      | Silver • Black / Painted (Unfinished inside) |
| 2   | Frame                        | 2   | Extruded aluminium A6063S-T5 | Silver • Black / Anodized                    |
| 3   | Panel support frame          | 4   | Extruded aluminium A6063S-T5 | Silver • Black / Anodized                    |
| 4   | Panel                        | 2   | Aluminium A1100P             | Silver • Black / Anodized                    |
| 5   | Top cover                    | 1   | Aluminium A1100P             | Silver • Black / Anodized                    |
| 6   | Bottom cover                 | 1   | Aluminium A1100P             | Silver • Black / Anodized                    |
| 7   | Rubber feet : Aluminium feet | 4   | TPE (Elastomer) : Aluminium  | Black : Silver • Black / Anodized            |

To select Feet, Screw, and Color, follow steps **1** ~ **3** to determine product number.


**1 Feet**

\*Color of "Aluminium Feet" will be the same as bottom cover color.


**2 Screw**

\*Color of screw will be the same as top • bottom cover color.

**R** Rubber (Black / Unfinished)




**A** Aluminium (Silver / Anodized) (Black / Anodized)



**P** Plus (Silver / Nickel plated) (Black / Black trivalent chromate)



**H** Hex (Silver / Nickel plated) (Black / Black trivalent chromate)



Hex wrench included.

**3 Color**

Please choose from the color combinations listed below.

**S S**



**S B**



**B S**



**B B**



## Product Number

To determine a product number, fill H-W-D dimensions and select Feet, Screw, and Color code in the following blank boxes.

**AU**

-  -

H-W-D dimensions

-

**1 Feet** **2 Screw**

**3 Color**

See page 153~154 for dimensions and product no.

R or A

P or H


SS • SB • BS • BB

Numbering example :


If looking at "H88 x W300 x D200mm, Feet type A, Screw type H, Color type BS"

➔ **AU 88-30-20 AH-BS**

## Accessories (Optional parts)



Mounting plate AUC series  
See page 179 ~ 180



Corner guard AUCG series  
See page 180




Elastomer carrying handle FM200  
See page FM200 • MH



Tilt leg TLW series  
See page 222


## AU dimensions




■ DXF/DWG/PDF/STP drawings available on our website.

■ Feet is selectable between rubber or aluminium type.  
※ Rubber and aluminium feet height are different.

## Rubber Feet



## Aluminium Feet



## Product no. / Details

■ Please suffix color code at the end of the product number.

| Product no.          | H  | W   | D   | Weight (kg) |
|----------------------|----|-----|-----|-------------|
| NEW AU 44-16-16□□-□□ | 44 | 160 | 160 | 0.7         |
| NEW AU 44-16-20□□-□□ | 44 | 160 | 200 | 0.8         |
| NEW AU 44-16-25□□-□□ | 44 | 160 | 250 | 1.0         |
| NEW AU 44-16-30□□-□□ | 44 | 160 | 300 | 1.1         |
| NEW AU 44-16-36□□-□□ | 44 | 160 | 360 | 1.3         |
| NEW AU 44-16-43□□-□□ | 44 | 160 | 430 | 1.5         |
| NEW AU 44-20-16□□-□□ | 44 | 200 | 160 | 0.8         |
| NEW AU 44-20-20□□-□□ | 44 | 200 | 200 | 0.9         |
| NEW AU 44-20-25□□-□□ | 44 | 200 | 250 | 1.1         |
| NEW AU 44-20-30□□-□□ | 44 | 200 | 300 | 1.3         |
| NEW AU 44-20-36□□-□□ | 44 | 200 | 360 | 1.5         |
| NEW AU 44-20-43□□-□□ | 44 | 200 | 430 | 1.7         |
| NEW AU 44-25-16□□-□□ | 44 | 250 | 160 | 1.0         |
| NEW AU 44-25-20□□-□□ | 44 | 250 | 200 | 1.1         |
| NEW AU 44-25-25□□-□□ | 44 | 250 | 250 | 1.3         |
| NEW AU 44-25-30□□-□□ | 44 | 250 | 300 | 1.5         |
| NEW AU 44-25-36□□-□□ | 44 | 250 | 360 | 1.7         |
| NEW AU 44-25-43□□-□□ | 44 | 250 | 430 | 2.0         |
| NEW AU 44-30-16□□-□□ | 44 | 300 | 160 | 1.1         |
| NEW AU 44-30-20□□-□□ | 44 | 300 | 200 | 1.3         |
| NEW AU 44-30-25□□-□□ | 44 | 300 | 250 | 1.5         |
| NEW AU 44-30-30□□-□□ | 44 | 300 | 300 | 1.7         |
| NEW AU 44-30-36□□-□□ | 44 | 300 | 360 | 2.0         |
| NEW AU 44-30-43□□-□□ | 44 | 300 | 430 | 2.3         |
| NEW AU 44-30-50□□-□□ | 44 | 300 | 500 | 2.6         |
| NEW AU 44-36-16□□-□□ | 44 | 360 | 160 | 1.3         |
| NEW AU 44-36-20□□-□□ | 44 | 360 | 200 | 1.5         |
| NEW AU 44-36-25□□-□□ | 44 | 360 | 250 | 1.7         |
| NEW AU 44-36-30□□-□□ | 44 | 360 | 300 | 2.0         |
| NEW AU 44-36-36□□-□□ | 44 | 360 | 360 | 2.2         |
| NEW AU 44-36-43□□-□□ | 44 | 360 | 430 | 2.6         |
| NEW AU 44-36-50□□-□□ | 44 | 360 | 500 | 3.0         |
| NEW AU 44-43-16□□-□□ | 44 | 430 | 160 | 1.5         |
| NEW AU 44-43-20□□-□□ | 44 | 430 | 200 | 1.7         |
| NEW AU 44-43-25□□-□□ | 44 | 430 | 250 | 2.0         |
| NEW AU 44-43-30□□-□□ | 44 | 430 | 300 | 2.3         |
| NEW AU 44-43-36□□-□□ | 44 | 430 | 360 | 2.6         |
| NEW AU 44-43-43□□-□□ | 44 | 430 | 430 | 3.0         |
| NEW AU 44-43-50□□-□□ | 44 | 430 | 500 | 3.4         |
| NEW AU 44-50-30□□-□□ | 44 | 500 | 300 | 2.6         |
| NEW AU 44-50-36□□-□□ | 44 | 500 | 360 | 3.0         |
| NEW AU 44-50-43□□-□□ | 44 | 500 | 430 | 3.4         |
| NEW AU 44-50-50□□-□□ | 44 | 500 | 500 | 3.9         |

| Product no.          | H  | W   | D   | Weight (kg) |
|----------------------|----|-----|-----|-------------|
| AU 66-16-16□□-□□     | 66 | 160 | 160 | 0.9         |
| AU 66-16-20□□-□□     | 66 | 160 | 200 | 1.0         |
| AU 66-16-25□□-□□     | 66 | 160 | 250 | 1.2         |
| AU 66-16-30□□-□□     | 66 | 160 | 300 | 1.3         |
| NEW AU 66-16-36□□-□□ | 66 | 160 | 360 | 1.5         |
| NEW AU 66-16-43□□-□□ | 66 | 160 | 430 | 1.7         |
| AU 66-20-16□□-□□     | 66 | 200 | 160 | 1.0         |
| AU 66-20-20□□-□□     | 66 | 200 | 200 | 1.1         |
| AU 66-20-25□□-□□     | 66 | 200 | 250 | 1.3         |
| AU 66-20-30□□-□□     | 66 | 200 | 300 | 1.5         |
| AU 66-20-36□□-□□     | 66 | 200 | 360 | 1.7         |
| AU 66-20-43□□-□□     | 66 | 200 | 430 | 2.0         |
| AU 66-25-16□□-□□     | 66 | 250 | 160 | 1.1         |
| AU 66-25-20□□-□□     | 66 | 250 | 200 | 1.3         |
| AU 66-25-25□□-□□     | 66 | 250 | 250 | 1.5         |
| AU 66-25-30□□-□□     | 66 | 250 | 300 | 1.7         |
| AU 66-25-36□□-□□     | 66 | 250 | 360 | 2.0         |
| AU 66-25-43□□-□□     | 66 | 250 | 430 | 2.3         |
| AU 66-30-16□□-□□     | 66 | 300 | 160 | 1.3         |
| AU 66-30-20□□-□□     | 66 | 300 | 200 | 1.5         |
| AU 66-30-25□□-□□     | 66 | 300 | 250 | 1.7         |
| AU 66-30-30□□-□□     | 66 | 300 | 300 | 1.9         |
| AU 66-30-36□□-□□     | 66 | 300 | 360 | 2.2         |
| AU 66-30-43□□-□□     | 66 | 300 | 430 | 2.6         |
| AU 66-30-50□□-□□     | 66 | 300 | 500 | 2.9         |
| NEW AU 66-36-16□□-□□ | 66 | 360 | 160 | 1.5         |
| AU 66-36-20□□-□□     | 66 | 360 | 200 | 1.7         |
| AU 66-36-25□□-□□     | 66 | 360 | 250 | 1.9         |
| AU 66-36-30□□-□□     | 66 | 360 | 300 | 2.2         |
| AU 66-36-36□□-□□     | 66 | 360 | 360 | 2.5         |
| AU 66-36-43□□-□□     | 66 | 360 | 430 | 2.9         |
| AU 66-36-50□□-□□     | 66 | 360 | 500 | 3.3         |
| NEW AU 66-43-16□□-□□ | 66 | 430 | 160 | 1.7         |
| AU 66-43-20□□-□□     | 66 | 430 | 200 | 1.9         |
| AU 66-43-25□□-□□     | 66 | 430 | 250 | 2.2         |
| AU 66-43-30□□-□□     | 66 | 430 | 300 | 2.5         |
| AU 66-43-36□□-□□     | 66 | 430 | 360 | 2.9         |
| AU 66-43-43□□-□□     | 66 | 430 | 430 | 3.3         |
| AU 66-43-50□□-□□     | 66 | 430 | 500 | 3.7         |
| AU 66-50-30□□-□□     | 66 | 500 | 300 | 2.8         |
| AU 66-50-36□□-□□     | 66 | 500 | 360 | 3.3         |
| AU 66-50-43□□-□□     | 66 | 500 | 430 | 3.7         |
| AU 66-50-50□□-□□     | 66 | 500 | 500 | 4.2         |

## Product no. / Details

■ Please suffix color code at the end of the product number.

| Product no.                 | H     | W   | D   | Weight (kg) |
|-----------------------------|-------|-----|-----|-------------|
| AU 88-16-16□□-□□            | 88    | 160 | 160 | 0.9         |
| AU 88-16-20□□-□□            | 88    | 160 | 200 | 1.1         |
| AU 88-16-25□□-□□            | 88    | 160 | 250 | 1.3         |
| AU 88-16-30□□-□□            | 88    | 160 | 300 | 1.4         |
| <b>NEW</b> AU 88-16-36□□-□□ | 88    | 160 | 360 | 1.7         |
| <b>NEW</b> AU 88-16-43□□-□□ | 88    | 160 | 430 | 1.9         |
| AU 88-20-16□□-□□            | 88    | 200 | 160 | 1.1         |
| AU 88-20-20□□-□□            | 88    | 200 | 200 | 1.2         |
| AU 88-20-25□□-□□            | 88    | 200 | 250 | 1.4         |
| AU 88-20-30□□-□□            | 88    | 200 | 300 | 1.6         |
| AU 88-20-36□□-□□            | 88    | 200 | 360 | 1.8         |
| AU 88-20-43□□-□□            | 88    | 200 | 430 | 2.1         |
| AU 88-25-16□□-□□            | 88    | 250 | 160 | 1.2         |
| AU 88-25-20□□-□□            | 88    | 250 | 200 | 1.4         |
| AU 88-25-25□□-□□            | 88    | 250 | 250 | 1.6         |
| AU 88-25-30□□-□□            | 88    | 250 | 300 | 1.8         |
| AU 88-25-36□□-□□            | 88    | 250 | 360 | 2.1         |
| AU 88-25-43□□-□□            | 88    | 250 | 430 | 2.4         |
| AU 88-30-16□□-□□            | 88    | 300 | 160 | 1.4         |
| AU 88-30-20□□-□□            | 88    | 300 | 200 | 1.6         |
| AU 88-30-25□□-□□            | 88    | 300 | 250 | 1.8         |
| AU 88-30-30□□-□□            | 88    | 300 | 300 | 2.1         |
| AU 88-30-36□□-□□            | 88    | 300 | 360 | 2.4         |
| AU 88-30-43□□-□□            | 88    | 300 | 430 | 2.7         |
| AU 88-30-50□□-□□            | 88    | 300 | 500 | 3.1         |
| <b>NEW</b> AU 88-36-16□□-□□ | 88    | 360 | 160 | 1.6         |
| AU 88-36-20□□-□□            | 88    | 360 | 200 | 1.8         |
| AU 88-36-25□□-□□            | 88    | 360 | 250 | 2.1         |
| AU 88-36-30□□-□□            | 88    | 360 | 300 | 2.3         |
| AU 88-36-36□□-□□            | 88    | 360 | 360 | 2.7         |
| AU 88-36-43□□-□□            | 88    | 360 | 430 | 3.1         |
| AU 88-36-50□□-□□            | 88    | 360 | 500 | 3.5         |
| <b>NEW</b> AU 88-43-16□□-□□ | 88    | 430 | 160 | 1.8         |
| AU 88-43-20□□-□□            | 88    | 430 | 200 | 2.1         |
| AU 88-43-25□□-□□            | 88    | 430 | 250 | 2.4         |
| AU 88-43-30□□-□□            | 88    | 430 | 300 | 2.7         |
| AU 88-43-36□□-□□            | 88    | 430 | 360 | 3.1         |
| AU 88-43-43□□-□□            | 88    | 430 | 430 | 3.5         |
| AU 88-43-50□□-□□            | 88    | 430 | 500 | 4.0         |
| AU 88-50-30□□-□□            | 88    | 500 | 300 | 3.0         |
| AU 88-50-36□□-□□            | 88    | 500 | 360 | 3.4         |
| AU 88-50-43□□-□□            | 88    | 500 | 430 | 3.9         |
| AU 88-50-50□□-□□            | 88    | 500 | 500 | 4.4         |
| AU133-16-16□□-□□            | 132.5 | 160 | 160 | 1.2         |
| AU133-16-20□□-□□            | 132.5 | 160 | 200 | 1.4         |
| AU133-16-25□□-□□            | 132.5 | 160 | 250 | 1.6         |
| AU133-16-30□□-□□            | 132.5 | 160 | 300 | 1.8         |
| <b>NEW</b> AU133-16-36□□-□□ | 132.5 | 160 | 360 | 2.1         |
| <b>NEW</b> AU133-16-43□□-□□ | 132.5 | 160 | 430 | 2.4         |
| AU133-20-16□□-□□            | 132.5 | 200 | 160 | 1.3         |
| AU133-20-20□□-□□            | 132.5 | 200 | 200 | 1.5         |
| AU133-20-25□□-□□            | 132.5 | 200 | 250 | 1.7         |
| AU133-20-30□□-□□            | 132.5 | 200 | 300 | 2.0         |
| AU133-20-36□□-□□            | 132.5 | 200 | 360 | 2.3         |
| AU133-20-43□□-□□            | 132.5 | 200 | 430 | 2.6         |
| AU133-25-16□□-□□            | 132.5 | 250 | 160 | 1.5         |
| AU133-25-20□□-□□            | 132.5 | 250 | 200 | 1.7         |
| AU133-25-25□□-□□            | 132.5 | 250 | 250 | 2.0         |
| AU133-25-30□□-□□            | 132.5 | 250 | 300 | 2.2         |
| AU133-25-36□□-□□            | 132.5 | 250 | 360 | 2.6         |
| AU133-25-43□□-□□            | 132.5 | 250 | 430 | 3.0         |
| AU133-30-16□□-□□            | 132.5 | 300 | 160 | 1.7         |
| AU133-30-20□□-□□            | 132.5 | 300 | 200 | 1.9         |
| AU133-30-25□□-□□            | 132.5 | 300 | 250 | 2.2         |
| AU133-30-30□□-□□            | 132.5 | 300 | 300 | 2.5         |

| Product no.                 | H     | W   | D   | Weight (kg) |
|-----------------------------|-------|-----|-----|-------------|
| AU133-30-36□□-□□            | 132.5 | 300 | 360 | 2.8         |
| AU133-30-43□□-□□            | 132.5 | 300 | 430 | 3.3         |
| AU133-30-50□□-□□            | 132.5 | 300 | 500 | 3.7         |
| <b>NEW</b> AU133-36-16□□-□□ | 132.5 | 360 | 160 | 1.9         |
| AU133-36-20□□-□□            | 132.5 | 360 | 200 | 2.1         |
| AU133-36-25□□-□□            | 132.5 | 360 | 250 | 2.5         |
| AU133-36-30□□-□□            | 132.5 | 360 | 300 | 2.8         |
| AU133-36-36□□-□□            | 132.5 | 360 | 360 | 3.2         |
| AU133-36-43□□-□□            | 132.5 | 360 | 430 | 3.7         |
| AU133-36-50□□-□□            | 132.5 | 360 | 500 | 4.1         |
| <b>NEW</b> AU133-43-16□□-□□ | 132.5 | 430 | 160 | 2.2         |
| AU133-43-20□□-□□            | 132.5 | 430 | 200 | 2.4         |
| AU133-43-25□□-□□            | 132.5 | 430 | 250 | 2.8         |
| AU133-43-30□□-□□            | 132.5 | 430 | 300 | 3.2         |
| AU133-43-36□□-□□            | 132.5 | 430 | 360 | 3.6         |
| AU133-43-43□□-□□            | 132.5 | 430 | 430 | 4.1         |
| AU133-43-50□□-□□            | 132.5 | 430 | 500 | 4.6         |
| AU133-50-30□□-□□            | 132.5 | 500 | 300 | 3.5         |
| AU133-50-36□□-□□            | 132.5 | 500 | 360 | 4.0         |
| AU133-50-43□□-□□            | 132.5 | 500 | 430 | 4.6         |
| AU133-50-50□□-□□            | 132.5 | 500 | 500 | 5.1         |
| <b>NEW</b> AU177-16-16□□-□□ | 177   | 160 | 160 | 1.4         |
| <b>NEW</b> AU177-16-20□□-□□ | 177   | 160 | 200 | 1.6         |
| <b>NEW</b> AU177-16-25□□-□□ | 177   | 160 | 250 | 1.8         |
| <b>NEW</b> AU177-16-30□□-□□ | 177   | 160 | 300 | 2.1         |
| <b>NEW</b> AU177-16-36□□-□□ | 177   | 160 | 360 | 2.4         |
| <b>NEW</b> AU177-16-43□□-□□ | 177   | 160 | 430 | 2.7         |
| <b>NEW</b> AU177-20-16□□-□□ | 177   | 200 | 160 | 1.5         |
| <b>NEW</b> AU177-20-20□□-□□ | 177   | 200 | 200 | 1.7         |
| <b>NEW</b> AU177-20-25□□-□□ | 177   | 200 | 250 | 2.0         |
| <b>NEW</b> AU177-20-30□□-□□ | 177   | 200 | 300 | 2.3         |
| <b>NEW</b> AU177-20-36□□-□□ | 177   | 200 | 360 | 2.6         |
| <b>NEW</b> AU177-20-43□□-□□ | 177   | 200 | 430 | 3.0         |
| <b>NEW</b> AU177-25-16□□-□□ | 177   | 250 | 160 | 1.7         |
| <b>NEW</b> AU177-25-20□□-□□ | 177   | 250 | 200 | 1.9         |
| <b>NEW</b> AU177-25-25□□-□□ | 177   | 250 | 250 | 2.2         |
| <b>NEW</b> AU177-25-30□□-□□ | 177   | 250 | 300 | 2.5         |
| <b>NEW</b> AU177-25-36□□-□□ | 177   | 250 | 360 | 2.9         |
| <b>NEW</b> AU177-25-43□□-□□ | 177   | 250 | 430 | 3.3         |
| <b>NEW</b> AU177-30-16□□-□□ | 177   | 300 | 160 | 1.9         |
| <b>NEW</b> AU177-30-20□□-□□ | 177   | 300 | 200 | 2.2         |
| <b>NEW</b> AU177-30-25□□-□□ | 177   | 300 | 250 | 2.5         |
| <b>NEW</b> AU177-30-30□□-□□ | 177   | 300 | 300 | 2.8         |
| <b>NEW</b> AU177-30-36□□-□□ | 177   | 300 | 360 | 3.2         |
| <b>NEW</b> AU177-30-43□□-□□ | 177   | 300 | 430 | 3.7         |
| <b>NEW</b> AU177-30-50□□-□□ | 177   | 300 | 500 | 4.1         |
| <b>NEW</b> AU177-36-16□□-□□ | 177   | 360 | 160 | 2.1         |
| <b>NEW</b> AU177-36-20□□-□□ | 177   | 360 | 200 | 2.4         |
| <b>NEW</b> AU177-36-25□□-□□ | 177   | 360 | 250 | 2.8         |
| <b>NEW</b> AU177-36-30□□-□□ | 177   | 360 | 300 | 3.1         |
| <b>NEW</b> AU177-36-36□□-□□ | 177   | 360 | 360 | 3.6         |
| <b>NEW</b> AU177-36-43□□-□□ | 177   | 360 | 430 | 4.1         |
| <b>NEW</b> AU177-36-50□□-□□ | 177   | 360 | 500 | 4.6         |
| <b>NEW</b> AU177-43-16□□-□□ | 177   | 430 | 160 | 2.4         |
| <b>NEW</b> AU177-43-20□□-□□ | 177   | 430 | 200 | 2.7         |
| <b>NEW</b> AU177-43-25□□-□□ | 177   | 430 | 250 | 3.1         |
| <b>NEW</b> AU177-43-30□□-□□ | 177   | 430 | 300 | 3.5         |
| <b>NEW</b> AU177-43-36□□-□□ | 177   | 430 | 360 | 4.0         |
| <b>NEW</b> AU177-43-43□□-□□ | 177   | 430 | 430 | 4.6         |
| <b>NEW</b> AU177-43-50□□-□□ | 177   | 430 | 500 | 5.1         |
| <b>NEW</b> AU177-50-30□□-□□ | 177   | 500 | 300 | 3.9         |
| <b>NEW</b> AU177-50-36□□-□□ | 177   | 500 | 360 | 4.4         |
| <b>NEW</b> AU177-50-43□□-□□ | 177   | 500 | 430 | 5.0         |
| <b>NEW</b> AU177-50-50□□-□□ | 177   | 500 | 500 | 5.6         |






Conductive



- Elegantly designed aluminium enclosure with easily detachable front/rear panels.  
Captive screws allow for ease of maintenance as there is little risk of the screws dropping out and getting lost.
- The inner surface is unfinished, allowing the enclosure to be conductive.
- A large selection of 177 different sizes and 2 colors to choose from.
- Suitable for use as measuring instrument, controller, industrial embedded computer, power supply, audio amplifier, and others.




## Included screws

- Top / Bottom cover  
M3-5 original trapezoid head (plus / hex) &  
M3-8 flat head & Nickel plated x 16 pcs
- Frame / Panel support frame  
M3-8 flat head & Nickel plated x 16 pcs
- Rubber feet / Aluminium feet  
M4-8 blind head & Black trivalent chromate x 4 pcs
- Panel  
Captive M2.5-7 pan head & Nickel plated x 8~12 pcs

Recommended torque :  $\begin{cases} \text{M2.5 : } 0.15 \sim 0.2 \text{ N} \cdot \text{m} \\ \text{M3 / M4 : } 0.3 \sim 0.6 \text{ N} \cdot \text{m} \end{cases}$

\* Recommended torque listed is for reference only; actual may differ.  
Assemble after testing torque.






Optional mounting plate  
(Sold separately)

## Components

| No. | Part name                    | Pcs | Material                     | Color / Finish                               |
|-----|------------------------------|-----|------------------------------|----------------------------------------------|
| 1   | Corner block                 | 4   | Diecast aluminium ADC12      | Silver • Black / Painted (Unfinished inside) |
| 2   | Frame                        | 2   | Extruded aluminium A6063S-T5 | Silver / Painted (Unfinished inside)         |
| 3   | Panel support frame          | 4   | Extruded aluminium A6063S-T5 | Silver / Painted (Unfinished inside)         |
| 4   | Panel                        | 2   | Aluminium A1100P             | Silver / Painted (Conductive inside)         |
| 5   | Top cover                    | 1   | Aluminium A1100P             | Silver / Painted (Conductive inside)         |
| 6   | Bottom cover                 | 1   | Aluminium A1100P             | Silver / Painted (Conductive inside)         |
| 7   | Rubber feet : Aluminium feet | 4   | TPE (Elastomer) : Aluminium  | Black : Silver / Anodized                    |


To select Feet, Screw, and Color, follow steps **1** ~ **3** to determine product number.

**1 Feet****R Rubber** (Black)**A Aluminium** (Silver / Anodized)**2 Screw****P Plus** (Silver / Nickel plated)**H Hex** (Silver / Nickel plated)

Hex wrench included.

**3 Color**

Please choose from the color combinations listed below.

**S S****S B**

## Product Number

To determine a product number, fill H-W-D dimensions and select Feet, Screw, and Color code in the following blank boxes.

**AUP**  -  -    -

**H-W-D dimensions** **1 Feet** **2 Screw** **3 Color**


See page 157~158 for dimensions and product no. **R or A** **P or H** **SS or SB**

## Numbering example :


If looking at "H88 x W300 x D200mm, Feet type A, Screw type H, Color type SB"

➔ **AUP 88-30-20 AH-SB**

## Accessories (Optional parts)



Mounting plate AUC series  
See page 179 ~ 180



Corner guard AUCG series  
See page 180




Elastomer carrying handle FM200  
See page FM200 • MH



Tilt leg TLW series  
See page 222

## AUP dimensions



■ DXF/DWG/PDF/STP drawings available on our website.

■ Feet is selectable between rubber or aluminium type.  
※Rubber and aluminium feet height are different.

### Rubber Feet



### Aluminium Feet



## Product no. / Details

■ Please suffix color code at the end of the product number.

| Product no.                  | H  | W   | D   | Weight (kg) |
|------------------------------|----|-----|-----|-------------|
| AUP 66-16-16□□-□□            | 66 | 160 | 160 | 0.9         |
| AUP 66-16-20□□-□□            | 66 | 160 | 200 | 1.0         |
| AUP 66-16-25□□-□□            | 66 | 160 | 250 | 1.2         |
| AUP 66-16-30□□-□□            | 66 | 160 | 300 | 1.3         |
| <b>NEW</b> AUP 66-16-36□□-□□ | 66 | 160 | 360 | 1.5         |
| <b>NEW</b> AUP 66-16-43□□-□□ | 66 | 160 | 430 | 1.7         |
| AUP 66-20-16□□-□□            | 66 | 200 | 160 | 1.0         |
| AUP 66-20-20□□-□□            | 66 | 200 | 200 | 1.2         |
| AUP 66-20-25□□-□□            | 66 | 200 | 250 | 1.4         |
| AUP 66-20-30□□-□□            | 66 | 200 | 300 | 1.5         |
| AUP 66-20-36□□-□□            | 66 | 200 | 360 | 1.7         |
| AUP 66-20-43□□-□□            | 66 | 200 | 430 | 2.0         |
| AUP 66-25-16□□-□□            | 66 | 250 | 160 | 1.2         |
| AUP 66-25-20□□-□□            | 66 | 250 | 200 | 1.4         |
| AUP 66-25-25□□-□□            | 66 | 250 | 250 | 1.6         |
| AUP 66-25-30□□-□□            | 66 | 250 | 300 | 1.8         |
| AUP 66-25-36□□-□□            | 66 | 250 | 360 | 2.0         |
| AUP 66-25-43□□-□□            | 66 | 250 | 430 | 2.3         |
| AUP 66-30-16□□-□□            | 66 | 300 | 160 | 1.4         |
| AUP 66-30-20□□-□□            | 66 | 300 | 200 | 1.5         |
| AUP 66-30-25□□-□□            | 66 | 300 | 250 | 1.8         |
| AUP 66-30-30□□-□□            | 66 | 300 | 300 | 2.0         |

| Product no.                  | H  | W   | D   | Weight (kg) |
|------------------------------|----|-----|-----|-------------|
| AUP 66-30-36□□-□□            | 66 | 300 | 360 | 2.3         |
| AUP 66-30-43□□-□□            | 66 | 300 | 430 | 2.6         |
| AUP 66-30-50□□-□□            | 66 | 300 | 500 | 3.0         |
| <b>NEW</b> AUP 66-36-16□□-□□ | 66 | 360 | 160 | 1.6         |
| AUP 66-36-20□□-□□            | 66 | 360 | 200 | 1.8         |
| AUP 66-36-25□□-□□            | 66 | 360 | 250 | 2.0         |
| AUP 66-36-30□□-□□            | 66 | 360 | 300 | 2.3         |
| AUP 66-36-36□□-□□            | 66 | 360 | 360 | 2.6         |
| AUP 66-36-43□□-□□            | 66 | 360 | 430 | 3.0         |
| AUP 66-36-50□□-□□            | 66 | 360 | 500 | 3.4         |
| <b>NEW</b> AUP 66-43-16□□-□□ | 66 | 430 | 160 | 1.8         |
| AUP 66-43-20□□-□□            | 66 | 430 | 200 | 2.1         |
| AUP 66-43-25□□-□□            | 66 | 430 | 250 | 2.4         |
| AUP 66-43-30□□-□□            | 66 | 430 | 300 | 2.7         |
| AUP 66-43-36□□-□□            | 66 | 430 | 360 | 3.0         |
| AUP 66-43-43□□-□□            | 66 | 430 | 430 | 3.4         |
| AUP 66-43-50□□-□□            | 66 | 430 | 500 | 3.9         |
| AUP 66-50-30□□-□□            | 66 | 500 | 300 | 3.0         |
| AUP 66-50-36□□-□□            | 66 | 500 | 360 | 3.4         |
| AUP 66-50-43□□-□□            | 66 | 500 | 430 | 3.9         |
| AUP 66-50-50□□-□□            | 66 | 500 | 500 | 4.3         |

## Product no. / Details

| Product no.                  | H     | W   | D   | Weight (kg) |
|------------------------------|-------|-----|-----|-------------|
| AUP 88-16-16□□-□□            | 88    | 160 | 160 | 1.0         |
| AUP 88-16-20□□-□□            | 88    | 160 | 200 | 1.2         |
| AUP 88-16-25□□-□□            | 88    | 160 | 250 | 1.3         |
| AUP 88-16-30□□-□□            | 88    | 160 | 300 | 1.5         |
| <b>NEW</b> AUP 88-16-36□□-□□ | 88    | 160 | 360 | 1.7         |
| <b>NEW</b> AUP 88-16-43□□-□□ | 88    | 160 | 430 | 2.0         |
| AUP 88-20-16□□-□□            | 88    | 200 | 160 | 1.2         |
| AUP 88-20-20□□-□□            | 88    | 200 | 200 | 1.3         |
| AUP 88-20-25□□-□□            | 88    | 200 | 250 | 1.5         |
| AUP 88-20-30□□-□□            | 88    | 200 | 300 | 1.7         |
| AUP 88-20-36□□-□□            | 88    | 200 | 360 | 1.9         |
| AUP 88-20-43□□-□□            | 88    | 200 | 430 | 2.2         |
| AUP 88-25-16□□-□□            | 88    | 250 | 160 | 1.3         |
| AUP 88-25-20□□-□□            | 88    | 250 | 200 | 1.5         |
| AUP 88-25-25□□-□□            | 88    | 250 | 250 | 1.7         |
| AUP 88-25-30□□-□□            | 88    | 250 | 300 | 1.9         |
| AUP 88-25-36□□-□□            | 88    | 250 | 360 | 2.2         |
| AUP 88-25-43□□-□□            | 88    | 250 | 430 | 2.5         |
| AUP 88-30-16□□-□□            | 88    | 300 | 160 | 1.5         |
| AUP 88-30-20□□-□□            | 88    | 300 | 200 | 1.7         |
| AUP 88-30-25□□-□□            | 88    | 300 | 250 | 1.9         |
| AUP 88-30-30□□-□□            | 88    | 300 | 300 | 2.2         |
| AUP 88-30-36□□-□□            | 88    | 300 | 360 | 2.5         |
| AUP 88-30-43□□-□□            | 88    | 300 | 430 | 2.9         |
| AUP 88-30-50□□-□□            | 88    | 300 | 500 | 3.2         |
| <b>NEW</b> AUP 88-36-16□□-□□ | 88    | 360 | 160 | 1.7         |
| AUP 88-36-20□□-□□            | 88    | 360 | 200 | 1.9         |
| AUP 88-36-25□□-□□            | 88    | 360 | 250 | 2.2         |
| AUP 88-36-30□□-□□            | 88    | 360 | 300 | 2.5         |
| AUP 88-36-36□□-□□            | 88    | 360 | 360 | 2.8         |
| AUP 88-36-43□□-□□            | 88    | 360 | 430 | 3.2         |
| AUP 88-36-50□□-□□            | 88    | 360 | 500 | 3.6         |
| <b>NEW</b> AUP 88-43-16□□-□□ | 88    | 430 | 160 | 2.0         |
| AUP 88-43-20□□-□□            | 88    | 430 | 200 | 2.2         |
| AUP 88-43-25□□-□□            | 88    | 430 | 250 | 2.5         |
| AUP 88-43-30□□-□□            | 88    | 430 | 300 | 2.9         |
| AUP 88-43-36□□-□□            | 88    | 430 | 360 | 3.2         |
| AUP 88-43-43□□-□□            | 88    | 430 | 430 | 3.7         |
| AUP 88-43-50□□-□□            | 88    | 430 | 500 | 4.1         |
| AUP 88-50-30□□-□□            | 88    | 500 | 300 | 3.2         |
| AUP 88-50-36□□-□□            | 88    | 500 | 360 | 3.6         |
| AUP 88-50-43□□-□□            | 88    | 500 | 430 | 4.1         |
| AUP 88-50-50□□-□□            | 88    | 500 | 500 | 4.6         |
| AUP133-16-16□□-□□            | 132.5 | 160 | 160 | 1.3         |
| AUP133-16-20□□-□□            | 132.5 | 160 | 200 | 1.4         |
| AUP133-16-25□□-□□            | 132.5 | 160 | 250 | 1.7         |
| AUP133-16-30□□-□□            | 132.5 | 160 | 300 | 1.9         |
| <b>NEW</b> AUP133-16-36□□-□□ | 132.5 | 160 | 360 | 2.2         |
| <b>NEW</b> AUP133-16-43□□-□□ | 132.5 | 160 | 430 | 2.5         |
| AUP133-20-16□□-□□            | 132.5 | 200 | 160 | 1.4         |
| AUP133-20-20□□-□□            | 132.5 | 200 | 200 | 1.6         |
| AUP133-20-25□□-□□            | 132.5 | 200 | 250 | 1.8         |
| AUP133-20-30□□-□□            | 132.5 | 200 | 300 | 2.1         |
| AUP133-20-36□□-□□            | 132.5 | 200 | 360 | 2.4         |
| AUP133-20-43□□-□□            | 132.5 | 200 | 430 | 2.7         |
| AUP133-25-16□□-□□            | 132.5 | 250 | 160 | 1.6         |
| AUP133-25-20□□-□□            | 132.5 | 250 | 200 | 1.8         |
| AUP133-25-25□□-□□            | 132.5 | 250 | 250 | 2.1         |
| AUP133-25-30□□-□□            | 132.5 | 250 | 300 | 2.4         |
| AUP133-25-36□□-□□            | 132.5 | 250 | 360 | 2.7         |
| AUP133-25-43□□-□□            | 132.5 | 250 | 430 | 3.1         |
| AUP133-30-16□□-□□            | 132.5 | 300 | 160 | 1.8         |
| AUP133-30-20□□-□□            | 132.5 | 300 | 200 | 2.0         |
| AUP133-30-25□□-□□            | 132.5 | 300 | 250 | 2.3         |
| AUP133-30-30□□-□□            | 132.5 | 300 | 300 | 2.6         |

■ Please suffix color code at the end of the product number.


| Product no.                  | H     | W   | D   | Weight (kg) |
|------------------------------|-------|-----|-----|-------------|
| AUP133-30-36□□-□□            | 132.5 | 300 | 360 | 3.0         |
| AUP133-30-43□□-□□            | 132.5 | 300 | 430 | 3.4         |
| AUP133-30-50□□-□□            | 132.5 | 300 | 500 | 3.8         |
| <b>NEW</b> AUP133-36-16□□-□□ | 132.5 | 360 | 160 | 2.1         |
| AUP133-36-20□□-□□            | 132.5 | 360 | 200 | 2.3         |
| AUP133-36-25□□-□□            | 132.5 | 360 | 250 | 2.6         |
| AUP133-36-30□□-□□            | 132.5 | 360 | 300 | 3.0         |
| AUP133-36-36□□-□□            | 132.5 | 360 | 360 | 3.3         |
| AUP133-36-43□□-□□            | 132.5 | 360 | 430 | 3.8         |
| AUP133-36-50□□-□□            | 132.5 | 360 | 500 | 4.3         |
| <b>NEW</b> AUP133-43-16□□-□□ | 132.5 | 430 | 160 | 2.4         |
| AUP133-43-20□□-□□            | 132.5 | 430 | 200 | 2.6         |
| AUP133-43-25□□-□□            | 132.5 | 430 | 250 | 3.0         |
| AUP133-43-30□□-□□            | 132.5 | 430 | 300 | 3.4         |
| AUP133-43-36□□-□□            | 132.5 | 430 | 360 | 3.8         |
| AUP133-43-43□□-□□            | 132.5 | 430 | 430 | 4.3         |
| AUP133-43-50□□-□□            | 132.5 | 430 | 500 | 4.8         |
| AUP133-50-30□□-□□            | 132.5 | 500 | 300 | 3.8         |
| AUP133-50-36□□-□□            | 132.5 | 500 | 360 | 4.2         |
| AUP133-50-43□□-□□            | 132.5 | 500 | 430 | 4.8         |
| AUP133-50-50□□-□□            | 132.5 | 500 | 500 | 5.3         |
| <b>NEW</b> AUP177-16-16□□-□□ | 177   | 160 | 160 | 1.4         |
| <b>NEW</b> AUP177-16-20□□-□□ | 177   | 160 | 200 | 1.6         |
| <b>NEW</b> AUP177-16-25□□-□□ | 177   | 160 | 250 | 1.9         |
| <b>NEW</b> AUP177-16-30□□-□□ | 177   | 160 | 300 | 2.1         |
| <b>NEW</b> AUP177-16-36□□-□□ | 177   | 160 | 360 | 2.4         |
| <b>NEW</b> AUP177-16-43□□-□□ | 177   | 160 | 430 | 2.8         |
| <b>NEW</b> AUP177-20-16□□-□□ | 177   | 200 | 160 | 1.6         |
| <b>NEW</b> AUP177-20-20□□-□□ | 177   | 200 | 200 | 1.8         |
| <b>NEW</b> AUP177-20-25□□-□□ | 177   | 200 | 250 | 2.1         |
| <b>NEW</b> AUP177-20-30□□-□□ | 177   | 200 | 300 | 2.4         |
| <b>NEW</b> AUP177-20-36□□-□□ | 177   | 200 | 360 | 2.7         |
| <b>NEW</b> AUP177-20-43□□-□□ | 177   | 200 | 430 | 3.1         |
| <b>NEW</b> AUP177-25-16□□-□□ | 177   | 250 | 160 | 1.8         |
| <b>NEW</b> AUP177-25-20□□-□□ | 177   | 250 | 200 | 2.1         |
| <b>NEW</b> AUP177-25-25□□-□□ | 177   | 250 | 250 | 2.4         |
| <b>NEW</b> AUP177-25-30□□-□□ | 177   | 250 | 300 | 2.7         |
| <b>NEW</b> AUP177-25-36□□-□□ | 177   | 250 | 360 | 3.0         |
| <b>NEW</b> AUP177-25-43□□-□□ | 177   | 250 | 430 | 3.5         |
| <b>NEW</b> AUP177-30-16□□-□□ | 177   | 300 | 160 | 2.0         |
| <b>NEW</b> AUP177-30-20□□-□□ | 177   | 300 | 200 | 2.3         |
| <b>NEW</b> AUP177-30-25□□-□□ | 177   | 300 | 250 | 2.6         |
| <b>NEW</b> AUP177-30-30□□-□□ | 177   | 300 | 300 | 3.0         |
| <b>NEW</b> AUP177-30-36□□-□□ | 177   | 300 | 360 | 3.3         |
| <b>NEW</b> AUP177-30-43□□-□□ | 177   | 300 | 430 | 3.8         |
| <b>NEW</b> AUP177-30-50□□-□□ | 177   | 300 | 500 | 4.3         |
| <b>NEW</b> AUP177-36-16□□-□□ | 177   | 360 | 160 | 2.3         |
| <b>NEW</b> AUP177-36-20□□-□□ | 177   | 360 | 200 | 2.6         |
| <b>NEW</b> AUP177-36-25□□-□□ | 177   | 360 | 250 | 3.0         |
| <b>NEW</b> AUP177-36-30□□-□□ | 177   | 360 | 300 | 3.3         |
| <b>NEW</b> AUP177-36-36□□-□□ | 177   | 360 | 360 | 3.7         |
| <b>NEW</b> AUP177-36-43□□-□□ | 177   | 360 | 430 | 4.3         |
| <b>NEW</b> AUP177-36-50□□-□□ | 177   | 360 | 500 | 4.8         |
| <b>NEW</b> AUP177-43-16□□-□□ | 177   | 430 | 160 | 2.6         |
| <b>NEW</b> AUP177-43-20□□-□□ | 177   | 430 | 200 | 3.0         |
| <b>NEW</b> AUP177-43-25□□-□□ | 177   | 430 | 250 | 3.4         |
| <b>NEW</b> AUP177-43-30□□-□□ | 177   | 430 | 300 | 3.8         |
| <b>NEW</b> AUP177-43-36□□-□□ | 177   | 430 | 360 | 4.2         |
| <b>NEW</b> AUP177-43-43□□-□□ | 177   | 430 | 430 | 4.8         |
| <b>NEW</b> AUP177-43-50□□-□□ | 177   | 430 | 500 | 5.4         |
| <b>NEW</b> AUP177-50-30□□-□□ | 177   | 500 | 300 | 4.2         |
| <b>NEW</b> AUP177-50-36□□-□□ | 177   | 500 | 360 | 4.7         |
| <b>NEW</b> AUP177-50-43□□-□□ | 177   | 500 | 430 | 5.3         |
| <b>NEW</b> AUP177-50-50□□-□□ | 177   | 500 | 500 | 5.9         |



EMC  
Shielding  
Effects



- Elegantly designed EMC shielded aluminium enclosure with detachable front/rear panels.
- Suitable to be used as an easy maintenance desktop case due to its detachable front/rear panels.  
Captive screws allow for ease of maintenance as there is little risk of the screws dropping out and getting lost.
- A large selection of 177 different sizes and 2 colors to choose from.
- Suitable for use as measuring instrument, controller, industrial embedded computer, power supply, audio amplifier, and others.



#### Included screws

- Top / Bottom cover  
M3-5 original trapezoid head (plus / hex) & Nickel plated x 8~16 pcs
- Frame / Panel support frame  
M3-8 flat head & Nickel plated x 16 pcs
- Rubber feet / Aluminium feet  
M4-8 blind head & Black trivalent chromate x 4 pcs
- Panel  
Captive M2.5-7 pan head & Nickel plated x 8 ~ 12 pcs

Recommended torque :  $\begin{cases} \text{M2.5 : } 0.15 \sim 0.2 \text{ N} \cdot \text{m} \\ \text{M3 / M4 : } 0.3 \sim 0.6 \text{ N} \cdot \text{m} \end{cases}$




\* Recommended torque listed is for reference only; actual may differ.  
Assemble after testing torque.



## Components

| No. | Part name                    | Pcs | Material                     | Color / Finish                               |
|-----|------------------------------|-----|------------------------------|----------------------------------------------|
| 1   | Corner block                 | 4   | Diecast aluminium ADC12      | Silver • Black / Painted (Unfinished inside) |
| 2   | Frame                        | 2   | Extruded aluminium A6063S-T5 | Silver / Painted (Unfinished inside)         |
| 3   | Panel support frame          | 4   | Extruded aluminium A6063S-T5 | Silver / Painted (Unfinished inside)         |
| 4   | Panel                        | 2   | Aluminium A1100P             | Silver / Painted (Conductive inside)         |
| 5   | Top cover                    | 1   | Aluminium A1100P             | Silver / Painted (Conductive inside)         |
| 6   | Bottom cover                 | 1   | Aluminium A1100P             | Silver / Painted (Conductive inside)         |
| 7   | Rubber feet : Aluminium feet | 4   | TPE (Elastomer) : Aluminium  | Black : Silver / Anodized                    |
| 8   | EMC shielding gasket         | 16  | Conductive fiber UL94V-0     | Metallic gray                                |



To select Feet, Screw, and Color, follow steps **1** ~ **3** to determine product number.

**1 Feet****R Rubber** (Black)**A Aluminium** (Silver / Anodized)**2 Screw****P Plus** (Silver / Nickel plated)**H Hex** (Silver / Nickel plated)

Hex wrench included.

**3 Color**

Please choose from the color combinations listed below.

**S S****S B**

## Product Number

To determine a product number, fill H-W-D dimensions and select Feet, Screw, and Color code in the following blank boxes.

**AUPE**

-

-

**H-W-D dimensions**

See page 161~162 for dimensions and product no.


**1 Feet 2 Screw****R or A P or H****3 Color****SS or SB**

## Numbering example :

If looking at "H132.5 x W300 x D200mm, Feet type A, Screw type H, Color type SS"

➔ **AUPE 133-30-20 AH-SS**

## Accessories (Optional parts)




Mounting plate AUC series  
See page 179 ~ 180



Elastomer carrying handle FM200  
See page FM200 • MH




Tilt leg TLW series  
See page 222



EMC shielding fan filter EMF series  
See page Fan-4


## AUPE dimensions



■ DXF/DWG/PDF/STP drawings available on our website.

■ Feet is selectable between rubber or aluminium type.  
※Rubber and aluminium feet height are different.

### Rubber Feet



### Aluminium Feet



## Product no. / Details

■ Please suffix color code at the end of the product number.

| Product no.            | H  | W   | D   | Weight (kg) |
|------------------------|----|-----|-----|-------------|
| AUPE 66-16-16□□-□□     | 66 | 160 | 160 | 0.9         |
| AUPE 66-16-20□□-□□     | 66 | 160 | 200 | 1.0         |
| AUPE 66-16-25□□-□□     | 66 | 160 | 250 | 1.2         |
| AUPE 66-16-30□□-□□     | 66 | 160 | 300 | 1.4         |
| NEW AUPE 66-16-36□□-□□ | 66 | 160 | 360 | 1.5         |
| NEW AUPE 66-16-43□□-□□ | 66 | 160 | 430 | 1.8         |
| AUPE 66-20-16□□-□□     | 66 | 200 | 160 | 1.0         |
| AUPE 66-20-20□□-□□     | 66 | 200 | 200 | 1.2         |
| AUPE 66-20-25□□-□□     | 66 | 200 | 250 | 1.4         |
| AUPE 66-20-30□□-□□     | 66 | 200 | 300 | 1.5         |
| AUPE 66-20-36□□-□□     | 66 | 200 | 360 | 1.8         |
| AUPE 66-20-43□□-□□     | 66 | 200 | 430 | 2.0         |
| AUPE 66-25-16□□-□□     | 66 | 250 | 160 | 1.2         |
| AUPE 66-25-20□□-□□     | 66 | 250 | 200 | 1.4         |
| AUPE 66-25-25□□-□□     | 66 | 250 | 250 | 1.6         |
| AUPE 66-25-30□□-□□     | 66 | 250 | 300 | 1.8         |
| AUPE 66-25-36□□-□□     | 66 | 250 | 360 | 2.0         |
| AUPE 66-25-43□□-□□     | 66 | 250 | 430 | 2.3         |
| AUPE 66-30-16□□-□□     | 66 | 300 | 160 | 1.4         |
| AUPE 66-30-20□□-□□     | 66 | 300 | 200 | 1.6         |
| AUPE 66-30-25□□-□□     | 66 | 300 | 250 | 1.8         |
| AUPE 66-30-30□□-□□     | 66 | 300 | 300 | 2.0         |


| Product no.            | H  | W   | D   | Weight (kg) |
|------------------------|----|-----|-----|-------------|
| AUPE 66-30-36□□-□□     | 66 | 300 | 360 | 2.3         |
| AUPE 66-30-43□□-□□     | 66 | 300 | 430 | 2.6         |
| AUPE 66-30-50□□-□□     | 66 | 300 | 500 | 3.0         |
| NEW AUPE 66-36-16□□-□□ | 66 | 360 | 160 | 1.6         |
| AUPE 66-36-20□□-□□     | 66 | 360 | 200 | 1.8         |
| AUPE 66-36-25□□-□□     | 66 | 360 | 250 | 2.0         |
| AUPE 66-36-30□□-□□     | 66 | 360 | 300 | 2.3         |
| AUPE 66-36-36□□-□□     | 66 | 360 | 360 | 2.6         |
| AUPE 66-36-43□□-□□     | 66 | 360 | 430 | 3.0         |
| AUPE 66-36-50□□-□□     | 66 | 360 | 500 | 3.4         |
| NEW AUPE 66-43-16□□-□□ | 66 | 430 | 160 | 1.8         |
| AUPE 66-43-20□□-□□     | 66 | 430 | 200 | 2.1         |
| AUPE 66-43-25□□-□□     | 66 | 430 | 250 | 2.4         |
| AUPE 66-43-30□□-□□     | 66 | 430 | 300 | 2.7         |
| AUPE 66-43-36□□-□□     | 66 | 430 | 360 | 3.0         |
| AUPE 66-43-43□□-□□     | 66 | 430 | 430 | 3.4         |
| AUPE 66-43-50□□-□□     | 66 | 430 | 500 | 3.9         |
| AUPE 66-50-30□□-□□     | 66 | 500 | 300 | 3.0         |
| AUPE 66-50-36□□-□□     | 66 | 500 | 360 | 3.4         |
| AUPE 66-50-43□□-□□     | 66 | 500 | 430 | 3.9         |
| AUPE 66-50-50□□-□□     | 66 | 500 | 500 | 4.3         |

## Product no. / Details

■ Please suffix color code at the end of the product number.

| Product no.                   | H     | W   | D   | Weight (kg) |
|-------------------------------|-------|-----|-----|-------------|
| AUPE 88-16-16□□-□□            | 88    | 160 | 160 | 1.0         |
| AUPE 88-16-20□□-□□            | 88    | 160 | 200 | 1.2         |
| AUPE 88-16-25□□-□□            | 88    | 160 | 250 | 1.3         |
| AUPE 88-16-30□□-□□            | 88    | 160 | 300 | 1.5         |
| <b>NEW</b> AUPE 88-16-36□□-□□ | 88    | 160 | 360 | 1.7         |
| <b>NEW</b> AUPE 88-16-43□□-□□ | 88    | 160 | 430 | 2.0         |
| AUPE 88-20-16□□-□□            | 88    | 200 | 160 | 1.2         |
| AUPE 88-20-20□□-□□            | 88    | 200 | 200 | 1.3         |
| AUPE 88-20-25□□-□□            | 88    | 200 | 250 | 1.5         |
| AUPE 88-20-30□□-□□            | 88    | 200 | 300 | 1.7         |
| AUPE 88-20-36□□-□□            | 88    | 200 | 360 | 1.9         |
| AUPE 88-20-43□□-□□            | 88    | 200 | 430 | 2.2         |
| AUPE 88-25-16□□-□□            | 88    | 250 | 160 | 1.3         |
| AUPE 88-25-20□□-□□            | 88    | 250 | 200 | 1.5         |
| AUPE 88-25-25□□-□□            | 88    | 250 | 250 | 1.7         |
| AUPE 88-25-30□□-□□            | 88    | 250 | 300 | 1.9         |
| AUPE 88-25-36□□-□□            | 88    | 250 | 360 | 2.2         |
| AUPE 88-25-43□□-□□            | 88    | 250 | 430 | 2.5         |
| AUPE 88-30-16□□-□□            | 88    | 300 | 160 | 1.5         |
| AUPE 88-30-20□□-□□            | 88    | 300 | 200 | 1.7         |
| AUPE 88-30-25□□-□□            | 88    | 300 | 250 | 1.9         |
| AUPE 88-30-30□□-□□            | 88    | 300 | 300 | 2.2         |
| AUPE 88-30-36□□-□□            | 88    | 300 | 360 | 2.5         |
| AUPE 88-30-43□□-□□            | 88    | 300 | 430 | 2.9         |
| AUPE 88-30-50□□-□□            | 88    | 300 | 500 | 3.2         |
| <b>NEW</b> AUPE 88-36-16□□-□□ | 88    | 360 | 160 | 1.7         |
| AUPE 88-36-20□□-□□            | 88    | 360 | 200 | 1.9         |
| AUPE 88-36-25□□-□□            | 88    | 360 | 250 | 2.2         |
| AUPE 88-36-30□□-□□            | 88    | 360 | 300 | 2.5         |
| AUPE 88-36-36□□-□□            | 88    | 360 | 360 | 2.8         |
| AUPE 88-36-43□□-□□            | 88    | 360 | 430 | 3.2         |
| AUPE 88-36-50□□-□□            | 88    | 360 | 500 | 3.6         |
| <b>NEW</b> AUPE 88-43-16□□-□□ | 88    | 430 | 160 | 2.0         |
| AUPE 88-43-20□□-□□            | 88    | 430 | 200 | 2.2         |
| AUPE 88-43-25□□-□□            | 88    | 430 | 250 | 2.6         |
| AUPE 88-43-30□□-□□            | 88    | 430 | 300 | 2.9         |
| AUPE 88-43-36□□-□□            | 88    | 430 | 360 | 3.3         |
| AUPE 88-43-43□□-□□            | 88    | 430 | 430 | 3.7         |
| AUPE 88-43-50□□-□□            | 88    | 430 | 500 | 4.1         |
| AUPE 88-50-30□□-□□            | 88    | 500 | 300 | 3.2         |
| AUPE 88-50-36□□-□□            | 88    | 500 | 360 | 3.6         |
| AUPE 88-50-43□□-□□            | 88    | 500 | 430 | 4.1         |
| AUPE 88-50-50□□-□□            | 88    | 500 | 500 | 4.6         |
| AUPE133-16-16□□-□□            | 132.5 | 160 | 160 | 1.3         |
| AUPE133-16-20□□-□□            | 132.5 | 160 | 200 | 1.4         |
| AUPE133-16-25□□-□□            | 132.5 | 160 | 250 | 1.7         |
| AUPE133-16-30□□-□□            | 132.5 | 160 | 300 | 1.9         |
| <b>NEW</b> AUPE133-16-36□□-□□ | 132.5 | 160 | 360 | 2.1         |
| <b>NEW</b> AUPE133-16-43□□-□□ | 132.5 | 160 | 430 | 2.5         |
| AUPE133-20-16□□-□□            | 132.5 | 200 | 160 | 1.4         |
| AUPE133-20-20□□-□□            | 132.5 | 200 | 200 | 1.6         |
| AUPE133-20-25□□-□□            | 132.5 | 200 | 250 | 1.9         |
| AUPE133-20-30□□-□□            | 132.5 | 200 | 300 | 2.1         |
| AUPE133-20-36□□-□□            | 132.5 | 200 | 360 | 2.4         |
| AUPE133-20-43□□-□□            | 132.5 | 200 | 430 | 2.7         |
| AUPE133-25-16□□-□□            | 132.5 | 250 | 160 | 1.6         |
| AUPE133-25-20□□-□□            | 132.5 | 250 | 200 | 1.8         |
| AUPE133-25-25□□-□□            | 132.5 | 250 | 250 | 2.1         |
| AUPE133-25-30□□-□□            | 132.5 | 250 | 300 | 2.4         |
| AUPE133-25-36□□-□□            | 132.5 | 250 | 360 | 3.0         |
| AUPE133-25-43□□-□□            | 132.5 | 250 | 430 | 3.1         |
| AUPE133-25-50□□-□□            | 132.5 | 250 | 500 | 3.6         |
| AUPE133-30-16□□-□□            | 132.5 | 300 | 160 | 1.8         |
| AUPE133-30-20□□-□□            | 132.5 | 300 | 200 | 2.1         |
| AUPE133-30-25□□-□□            | 132.5 | 300 | 250 | 2.3         |
| AUPE133-30-30□□-□□            | 132.5 | 300 | 300 | 2.6         |

| Product no.                   | H     | W   | D   | Weight (kg) |
|-------------------------------|-------|-----|-----|-------------|
| AUPE133-30-36□□-□□            | 132.5 | 300 | 360 | 3.0         |
| AUPE133-30-43□□-□□            | 132.5 | 300 | 430 | 3.4         |
| AUPE133-30-50□□-□□            | 132.5 | 300 | 500 | 3.8         |
| <b>NEW</b> AUPE133-36-16□□-□□ | 132.5 | 360 | 160 | 2.1         |
| AUPE133-36-20□□-□□            | 132.5 | 360 | 200 | 2.3         |
| AUPE133-36-25□□-□□            | 132.5 | 360 | 250 | 2.6         |
| AUPE133-36-30□□-□□            | 132.5 | 360 | 300 | 3.0         |
| AUPE133-36-36□□-□□            | 132.5 | 360 | 360 | 3.4         |
| AUPE133-36-43□□-□□            | 132.5 | 360 | 430 | 3.8         |
| AUPE133-36-50□□-□□            | 132.5 | 360 | 500 | 4.3         |
| <b>NEW</b> AUPE133-43-16□□-□□ | 132.5 | 430 | 160 | 2.4         |
| AUPE133-43-20□□-□□            | 132.5 | 430 | 200 | 2.7         |
| AUPE133-43-25□□-□□            | 132.5 | 430 | 250 | 3.0         |
| AUPE133-43-30□□-□□            | 132.5 | 430 | 300 | 3.4         |
| AUPE133-43-36□□-□□            | 132.5 | 430 | 360 | 3.8         |
| AUPE133-43-43□□-□□            | 132.5 | 430 | 430 | 4.3         |
| AUPE133-43-50□□-□□            | 132.5 | 430 | 500 | 4.8         |
| AUPE133-50-30□□-□□            | 132.5 | 500 | 300 | 3.8         |
| AUPE133-50-36□□-□□            | 132.5 | 500 | 360 | 4.2         |
| AUPE133-50-43□□-□□            | 132.5 | 500 | 430 | 4.8         |
| AUPE133-50-50□□-□□            | 132.5 | 500 | 500 | 5.4         |
| <b>NEW</b> AUPE177-16-16□□-□□ | 177   | 160 | 160 | 1.4         |
| <b>NEW</b> AUPE177-16-20□□-□□ | 177   | 160 | 200 | 1.6         |
| <b>NEW</b> AUPE177-16-25□□-□□ | 177   | 160 | 250 | 1.9         |
| <b>NEW</b> AUPE177-16-30□□-□□ | 177   | 160 | 300 | 2.1         |
| <b>NEW</b> AUPE177-16-36□□-□□ | 177   | 160 | 360 | 2.4         |
| <b>NEW</b> AUPE177-16-43□□-□□ | 177   | 160 | 430 | 2.8         |
| <b>NEW</b> AUPE177-20-16□□-□□ | 177   | 200 | 160 | 1.6         |
| <b>NEW</b> AUPE177-20-20□□-□□ | 177   | 200 | 200 | 1.8         |
| <b>NEW</b> AUPE177-20-25□□-□□ | 177   | 200 | 250 | 2.1         |
| <b>NEW</b> AUPE177-20-30□□-□□ | 177   | 200 | 300 | 2.4         |
| <b>NEW</b> AUPE177-20-36□□-□□ | 177   | 200 | 360 | 2.7         |
| <b>NEW</b> AUPE177-20-43□□-□□ | 177   | 200 | 430 | 3.1         |
| <b>NEW</b> AUPE177-25-16□□-□□ | 177   | 250 | 160 | 1.8         |
| <b>NEW</b> AUPE177-25-20□□-□□ | 177   | 250 | 200 | 2.1         |
| <b>NEW</b> AUPE177-25-25□□-□□ | 177   | 250 | 250 | 2.4         |
| <b>NEW</b> AUPE177-25-30□□-□□ | 177   | 250 | 300 | 2.7         |
| <b>NEW</b> AUPE177-25-36□□-□□ | 177   | 250 | 360 | 3.0         |
| <b>NEW</b> AUPE177-25-43□□-□□ | 177   | 250 | 430 | 3.5         |
| <b>NEW</b> AUPE177-30-16□□-□□ | 177   | 300 | 160 | 2.0         |
| <b>NEW</b> AUPE177-30-20□□-□□ | 177   | 300 | 200 | 2.3         |
| <b>NEW</b> AUPE177-30-25□□-□□ | 177   | 300 | 250 | 2.6         |
| <b>NEW</b> AUPE177-30-30□□-□□ | 177   | 300 | 300 | 3.0         |
| <b>NEW</b> AUPE177-30-36□□-□□ | 177   | 300 | 360 | 3.4         |
| <b>NEW</b> AUPE177-30-43□□-□□ | 177   | 300 | 430 | 3.8         |
| <b>NEW</b> AUPE177-30-50□□-□□ | 177   | 300 | 500 | 4.3         |
| <b>NEW</b> AUPE177-36-16□□-□□ | 177   | 360 | 160 | 2.3         |
| <b>NEW</b> AUPE177-36-20□□-□□ | 177   | 360 | 200 | 2.6         |
| <b>NEW</b> AUPE177-36-25□□-□□ | 177   | 360 | 250 | 3.0         |
| <b>NEW</b> AUPE177-36-30□□-□□ | 177   | 360 | 300 | 3.3         |
| <b>NEW</b> AUPE177-36-36□□-□□ | 177   | 360 | 360 | 3.8         |
| <b>NEW</b> AUPE177-36-43□□-□□ | 177   | 360 | 430 | 4.3         |
| <b>NEW</b> AUPE177-36-50□□-□□ | 177   | 360 | 500 | 4.8         |
| <b>NEW</b> AUPE177-43-16□□-□□ | 177   | 430 | 160 | 2.7         |
| <b>NEW</b> AUPE177-43-20□□-□□ | 177   | 430 | 200 | 3.0         |
| <b>NEW</b> AUPE177-43-25□□-□□ | 177   | 430 | 250 | 3.4         |
| <b>NEW</b> AUPE177-43-30□□-□□ | 177   | 430 | 300 | 3.8         |
| <b>NEW</b> AUPE177-43-36□□-□□ | 177   | 430 | 360 | 4.2         |
| <b>NEW</b> AUPE177-43-43□□-□□ | 177   | 430 | 430 | 4.8         |
| <b>NEW</b> AUPE177-43-50□□-□□ | 177   | 430 | 500 | 5.4         |
| <b>NEW</b> AUPE177-50-30□□-□□ | 177   | 500 | 300 | 4.2         |
| <b>NEW</b> AUPE177-50-36□□-□□ | 177   | 500 | 360 | 4.7         |
| <b>NEW</b> AUPE177-50-43□□-□□ | 177   | 500 | 430 | 5.3         |
| <b>NEW</b> AUPE177-50-50□□-□□ | 177   | 500 | 500 | 5.9         |





- Round corner designed aluminium control box with 4 extruded aluminium frames.
- A large selection of 135 different sizes and 4 colors to choose from.
- Aluminium control box is suitable for use as industrial controller, machine controller, audio amplifier, power supply, and so on.
- Feet is selectable between adhesive rubber or aluminium type.

## Included screws

- Top / Bottom cover  
M3-5 original trapezoid head (plus / hex) &  
Nickel plated / Black trivalent chromate x 8~16 pcs
- Frame  
M3-8 flat head & Nickel plated x 16 pcs
- Aluminium feet  
M4-8 bind head & Black trivalent chromate x 4 pcs

Recommended torque :  $0.3 \sim 0.6 \text{ N} \cdot \text{m}$

\* Recommended torque listed is for reference only; actual may differ  
Assemble after testing torque.




Optional mounting plate  
(Sold separately)


## Components

| No. | Part name                             | Pcs | Material                     | Color / Finish                               |
|-----|---------------------------------------|-----|------------------------------|----------------------------------------------|
| 1   | Corner block                          | 4   | Diecast aluminium ADC12      | Silver • Black / Painted (Unfinished inside) |
| 2   | Frame                                 | 4   | Extruded aluminium A6063S-T5 | Silver • Black / Anodized                    |
| 3   | Top cover                             | 1   | Aluminium A1100P             | Silver • Black / Anodized                    |
| 4   | Bottom cover                          | 1   | Aluminium A1100P             | Silver • Black / Anodized                    |
| 5   | Adhesive Rubber feet : Aluminium feet | 4   | Synthetic rubber : Aluminium | Black : Silver • Black / Anodized            |

To select Feet, Screw, and Color, follow steps **1** ~ **3** to determine product number.

**1 Feet**


\*Color of "Aluminium Feet" will be the same as bottom cover color.

**2 Screw**

Hex wrench included.

**3 Color**

Please choose from the color combinations listed below.



## Product Number

To determine a product number, fill H-W-D dimensions and select Feet, Screw, and Color code in the following blank boxes.

**AUX**     -  -       -      **1 Feet** **2 Screw** **3 Color**

**H-W-D dimensions**    **R or A**    **P or H**    **SS • SB • BX • BB**

See page 165~166 for dimensions and product no.


Numbering example :

If looking at "H66 x W250 x D250mm, Feet type R, Screw type H, Color type BX"


➔ **AUX 66-25-25 RH-BX**



## Accessories (Optional parts)



Mounting plate AUC series  
See page 179 ~ 180



Corner guard AUCG series  
See page 180



Elastomer carrying handle FM200  
See page FM200 • MH




Aluminium handle OH series  
See page OH • KH-1



Wall mount support arm MAR series  
See page 181 ~ 182

## AUX dimensions




■ DXF/DWG/PDF/STP drawings available on our website.

■ Feet is selectable between rubber or aluminium type.  
※Rubber and aluminium feet height are different.

### Rubber Feet



### Aluminium Feet



## Product no. / Details

■ Please suffix color code at the end of the product number.

| Product no.                  | H  | W   | D   | Weight (kg) |
|------------------------------|----|-----|-----|-------------|
| <b>NEW</b> AUX 44-16-16□□-□□ | 44 | 160 | 160 | 0.7         |
| <b>NEW</b> AUX 44-20-16□□-□□ | 44 | 200 | 160 | 0.8         |
| <b>NEW</b> AUX 44-20-20□□-□□ | 44 | 200 | 200 | 0.9         |
| <b>NEW</b> AUX 44-25-16□□-□□ | 44 | 250 | 160 | 1.0         |
| <b>NEW</b> AUX 44-25-20□□-□□ | 44 | 250 | 200 | 1.1         |
| <b>NEW</b> AUX 44-25-25□□-□□ | 44 | 250 | 250 | 1.3         |
| <b>NEW</b> AUX 44-30-16□□-□□ | 44 | 300 | 160 | 1.1         |
| <b>NEW</b> AUX 44-30-20□□-□□ | 44 | 300 | 200 | 1.3         |
| <b>NEW</b> AUX 44-30-25□□-□□ | 44 | 300 | 250 | 1.5         |
| <b>NEW</b> AUX 44-30-30□□-□□ | 44 | 300 | 300 | 1.7         |
| <b>NEW</b> AUX 44-36-16□□-□□ | 44 | 360 | 160 | 1.3         |
| <b>NEW</b> AUX 44-36-20□□-□□ | 44 | 360 | 200 | 1.5         |
| <b>NEW</b> AUX 44-36-25□□-□□ | 44 | 360 | 250 | 1.7         |
| <b>NEW</b> AUX 44-36-30□□-□□ | 44 | 360 | 300 | 2.0         |

| Product no.                  | H  | W   | D   | Weight (kg) |
|------------------------------|----|-----|-----|-------------|
| <b>NEW</b> AUX 44-36-36□□-□□ | 44 | 360 | 360 | 2.2         |
| <b>NEW</b> AUX 44-43-16□□-□□ | 44 | 430 | 160 | 1.5         |
| <b>NEW</b> AUX 44-43-20□□-□□ | 44 | 430 | 200 | 1.7         |
| <b>NEW</b> AUX 44-43-25□□-□□ | 44 | 430 | 250 | 2.0         |
| <b>NEW</b> AUX 44-43-30□□-□□ | 44 | 430 | 300 | 2.3         |
| <b>NEW</b> AUX 44-43-36□□-□□ | 44 | 430 | 360 | 2.6         |
| <b>NEW</b> AUX 44-43-43□□-□□ | 44 | 430 | 430 | 3.0         |
| <b>NEW</b> AUX 44-50-30□□-□□ | 44 | 500 | 300 | 2.6         |
| <b>NEW</b> AUX 44-50-36□□-□□ | 44 | 500 | 360 | 3.0         |
| <b>NEW</b> AUX 44-50-43□□-□□ | 44 | 500 | 430 | 3.4         |
| <b>NEW</b> AUX 44-50-50□□-□□ | 44 | 500 | 500 | 3.9         |
| <b>NEW</b> AUX 44-60-36□□-□□ | 44 | 600 | 360 | 3.5         |
| <b>NEW</b> AUX 44-60-43□□-□□ | 44 | 600 | 430 | 4.0         |

## Product no. / Details


■ Please suffix color code at the end of the product number.

| Product no.                  | H  | W   | D   | Weight (kg) |
|------------------------------|----|-----|-----|-------------|
| AUX 66-16-16□□-□□            | 66 | 160 | 160 | 0.9         |
| AUX 66-20-16□□-□□            | 66 | 200 | 160 | 1.0         |
| AUX 66-20-20□□-□□            | 66 | 200 | 200 | 1.1         |
| AUX 66-25-16□□-□□            | 66 | 250 | 160 | 1.2         |
| AUX 66-25-20□□-□□            | 66 | 250 | 200 | 1.3         |
| AUX 66-25-25□□-□□            | 66 | 250 | 250 | 1.5         |
| AUX 66-30-16□□-□□            | 66 | 300 | 160 | 1.3         |
| AUX 66-30-20□□-□□            | 66 | 300 | 200 | 1.5         |
| AUX 66-30-25□□-□□            | 66 | 300 | 250 | 1.7         |
| AUX 66-30-30□□-□□            | 66 | 300 | 300 | 2.0         |
| <b>NEW</b> AUX 66-36-16□□-□□ | 66 | 360 | 160 | 1.4         |
| AUX 66-36-20□□-□□            | 66 | 360 | 200 | 1.7         |
| AUX 66-36-25□□-□□            | 66 | 360 | 250 | 2.0         |
| AUX 66-36-30□□-□□            | 66 | 360 | 300 | 2.2         |
| AUX 66-36-36□□-□□            | 66 | 360 | 360 | 2.6         |
| <b>NEW</b> AUX 66-43-16□□-□□ | 66 | 430 | 160 | 1.7         |
| AUX 66-43-20□□-□□            | 66 | 430 | 200 | 2.0         |
| AUX 66-43-25□□-□□            | 66 | 430 | 250 | 2.3         |
| AUX 66-43-30□□-□□            | 66 | 430 | 300 | 2.6         |
| AUX 66-43-36□□-□□            | 66 | 430 | 360 | 3.0         |
| AUX 66-43-43□□-□□            | 66 | 430 | 430 | 3.4         |
| AUX 66-50-30□□-□□            | 66 | 500 | 300 | 2.9         |
| AUX 66-50-36□□-□□            | 66 | 500 | 360 | 3.3         |
| AUX 66-50-43□□-□□            | 66 | 500 | 430 | 3.8         |
| AUX 66-50-50□□-□□            | 66 | 500 | 500 | 4.3         |
| AUX 66-60-36□□-□□            | 66 | 600 | 360 | 3.8         |
| AUX 66-60-43□□-□□            | 66 | 600 | 430 | 4.4         |
| AUX 88-16-16□□-□□            | 88 | 160 | 160 | 1.0         |
| AUX 88-20-16□□-□□            | 88 | 200 | 160 | 1.1         |
| AUX 88-20-20□□-□□            | 88 | 200 | 200 | 1.3         |
| AUX 88-25-16□□-□□            | 88 | 250 | 160 | 1.3         |
| AUX 88-25-20□□-□□            | 88 | 250 | 200 | 1.5         |
| AUX 88-25-25□□-□□            | 88 | 250 | 250 | 1.7         |
| AUX 88-30-16□□-□□            | 88 | 300 | 160 | 1.5         |
| AUX 88-30-20□□-□□            | 88 | 300 | 200 | 1.7         |
| AUX 88-30-25□□-□□            | 88 | 300 | 250 | 1.9         |
| AUX 88-30-30□□-□□            | 88 | 300 | 300 | 2.2         |
| <b>NEW</b> AUX 88-36-16□□-□□ | 88 | 360 | 160 | 1.6         |
| AUX 88-36-20□□-□□            | 88 | 360 | 200 | 1.9         |
| AUX 88-36-25□□-□□            | 88 | 360 | 250 | 2.2         |
| AUX 88-36-30□□-□□            | 88 | 360 | 300 | 2.4         |
| AUX 88-36-36□□-□□            | 88 | 360 | 360 | 2.8         |
| <b>NEW</b> AUX 88-43-16□□-□□ | 88 | 430 | 160 | 1.9         |
| AUX 88-43-20□□-□□            | 88 | 430 | 200 | 2.2         |
| AUX 88-43-25□□-□□            | 88 | 430 | 250 | 2.5         |
| AUX 88-43-30□□-□□            | 88 | 430 | 300 | 2.8         |
| AUX 88-43-36□□-□□            | 88 | 430 | 360 | 3.2         |
| AUX 88-43-43□□-□□            | 88 | 430 | 430 | 3.6         |
| AUX 88-50-30□□-□□            | 88 | 500 | 300 | 3.2         |
| AUX 88-50-36□□-□□            | 88 | 500 | 360 | 3.6         |
| AUX 88-50-43□□-□□            | 88 | 500 | 430 | 4.1         |
| AUX 88-50-50□□-□□            | 88 | 500 | 500 | 4.6         |
| AUX 88-60-36□□-□□            | 88 | 600 | 360 | 4.1         |
| AUX 88-60-43□□-□□            | 88 | 600 | 430 | 4.7         |


| Product no.                  | H     | W   | D   | Weight (kg) |
|------------------------------|-------|-----|-----|-------------|
| AUX133-16-16□□-□□            | 132.5 | 160 | 160 | 1.3         |
| AUX133-20-16□□-□□            | 132.5 | 200 | 160 | 1.5         |
| AUX133-20-20□□-□□            | 132.5 | 200 | 200 | 1.7         |
| AUX133-25-16□□-□□            | 132.5 | 250 | 160 | 1.7         |
| AUX133-25-20□□-□□            | 132.5 | 250 | 200 | 1.9         |
| AUX133-25-25□□-□□            | 132.5 | 250 | 250 | 2.2         |
| AUX133-30-16□□-□□            | 132.5 | 300 | 160 | 1.9         |
| AUX133-30-20□□-□□            | 132.5 | 300 | 200 | 2.1         |
| AUX133-30-25□□-□□            | 132.5 | 300 | 250 | 2.4         |
| AUX133-30-30□□-□□            | 132.5 | 300 | 300 | 2.7         |
| <b>NEW</b> AUX133-36-16□□-□□ | 132.5 | 360 | 160 | 2.2         |
| AUX133-36-20□□-□□            | 132.5 | 360 | 200 | 2.4         |
| AUX133-36-25□□-□□            | 132.5 | 360 | 250 | 2.7         |
| AUX133-36-30□□-□□            | 132.5 | 360 | 300 | 3.1         |
| AUX133-36-36□□-□□            | 132.5 | 360 | 360 | 3.4         |
| <b>NEW</b> AUX133-43-16□□-□□ | 132.5 | 430 | 160 | 2.5         |
| AUX133-43-20□□-□□            | 132.5 | 430 | 200 | 2.8         |
| AUX133-43-25□□-□□            | 132.5 | 430 | 250 | 3.1         |
| AUX133-43-30□□-□□            | 132.5 | 430 | 300 | 3.5         |
| AUX133-43-36□□-□□            | 132.5 | 430 | 360 | 3.9         |
| AUX133-43-43□□-□□            | 132.5 | 430 | 430 | 4.4         |
| AUX133-50-30□□-□□            | 132.5 | 500 | 300 | 3.9         |
| AUX133-50-36□□-□□            | 132.5 | 500 | 360 | 4.4         |
| AUX133-50-43□□-□□            | 132.5 | 500 | 430 | 4.9         |
| AUX133-50-50□□-□□            | 132.5 | 500 | 500 | 5.5         |
| AUX133-60-36□□-□□            | 132.5 | 600 | 360 | 5.0         |
| AUX133-60-43□□-□□            | 132.5 | 600 | 430 | 5.7         |
| <b>NEW</b> AUX177-16-16□□-□□ | 177   | 160 | 160 | 1.5         |
| <b>NEW</b> AUX177-20-16□□-□□ | 177   | 200 | 160 | 1.7         |
| <b>NEW</b> AUX177-20-20□□-□□ | 177   | 200 | 200 | 1.9         |
| <b>NEW</b> AUX177-25-16□□-□□ | 177   | 250 | 160 | 1.9         |
| <b>NEW</b> AUX177-25-20□□-□□ | 177   | 250 | 200 | 2.2         |
| <b>NEW</b> AUX177-25-25□□-□□ | 177   | 250 | 250 | 2.5         |
| <b>NEW</b> AUX177-30-16□□-□□ | 177   | 300 | 160 | 2.2         |
| <b>NEW</b> AUX177-30-20□□-□□ | 177   | 300 | 200 | 2.4         |
| <b>NEW</b> AUX177-30-25□□-□□ | 177   | 300 | 250 | 2.8         |
| <b>NEW</b> AUX177-30-30□□-□□ | 177   | 300 | 300 | 3.1         |
| <b>NEW</b> AUX177-36-16□□-□□ | 177   | 360 | 160 | 2.5         |
| <b>NEW</b> AUX177-36-20□□-□□ | 177   | 360 | 200 | 2.8         |
| <b>NEW</b> AUX177-36-25□□-□□ | 177   | 360 | 250 | 3.1         |
| <b>NEW</b> AUX177-36-30□□-□□ | 177   | 360 | 300 | 3.5         |
| <b>NEW</b> AUX177-36-36□□-□□ | 177   | 360 | 360 | 3.9         |
| <b>NEW</b> AUX177-43-16□□-□□ | 177   | 430 | 160 | 2.9         |
| <b>NEW</b> AUX177-43-20□□-□□ | 177   | 430 | 200 | 3.2         |
| <b>NEW</b> AUX177-43-25□□-□□ | 177   | 430 | 250 | 3.6         |
| <b>NEW</b> AUX177-43-30□□-□□ | 177   | 430 | 300 | 4.0         |
| <b>NEW</b> AUX177-43-36□□-□□ | 177   | 430 | 360 | 4.5         |
| <b>NEW</b> AUX177-43-43□□-□□ | 177   | 430 | 430 | 5.0         |
| <b>NEW</b> AUX177-50-30□□-□□ | 177   | 500 | 300 | 4.4         |
| <b>NEW</b> AUX177-50-36□□-□□ | 177   | 500 | 360 | 5.0         |
| <b>NEW</b> AUX177-50-43□□-□□ | 177   | 500 | 430 | 5.6         |
| <b>NEW</b> AUX177-50-50□□-□□ | 177   | 500 | 500 | 6.2         |
| <b>NEW</b> AUX177-60-36□□-□□ | 177   | 600 | 360 | 5.7         |
| <b>NEW</b> AUX177-60-43□□-□□ | 177   | 600 | 430 | 6.4         |



EMC  
Shielding  
Effects



- Round corner designed aluminium enclosure with 4 extruded aluminium frames.
- Shielding gasket allows the enclosure to be EMC shielded.
- A large selection of 135 different sizes and 2 colors to choose from.
- Feet is selectable between adhesive rubber or aluminium type.



#### Included screws

- Top / Bottom cover  
M3-5 original trapezoid head (plus / hex) & Nickel plated x 8~16 pcs
- Frame  
M3-8 flat head & Nickel plated x 16 pcs
- Aluminium feet  
M4-8 bind head & Black trivalent chromate x 4 pcs

Recommended torque : 0.3 ~ 0.6N • m

\* Recommended torque listed is for reference only; actual may differ.  
Assemble after testing torque.


## Components

| No. | Part name                             | Pcs | Material                     | Color / Finish                               |
|-----|---------------------------------------|-----|------------------------------|----------------------------------------------|
| 1   | Corner block                          | 4   | Diecast aluminium ADC12      | Silver • Black / Painted (Unfinished inside) |
| 2   | Frame                                 | 4   | Extruded aluminium A6063S-T5 | Silver / Painted (Unfinished inside)         |
| 3   | Top cover                             | 1   | Aluminium A1100P             | Silver / Painted (Conductive inside)         |
| 4   | Bottom cover                          | 1   | Aluminium A1100P             | Silver / Painted (Conductive inside)         |
| 5   | Adhesive Rubber feet : Aluminium feet | 4   | Synthetic rubber : Aluminium | Black : Silver / Anodized                    |
| 6   | EMC shielding gasket                  | 8   | Conductive fiber UL94V-0     | Metallic gray                                |

To select Feet, Screw, and Color, follow steps **1** ~ **3** to determine product number.

**1 Feet**


**R** Rubber (Black / Unfinished)   **A** Aluminium (Silver / Anodized)



\*Color of "Aluminium Feet" will be the same as bottom cover color.

**2 Screw**

**P** Plus (Silver / Nickel plated)   **H** Hex (Silver / Nickel plated)



Hex wrench included.

**3 Color**

Please choose from the color combinations listed below.

**S** **S**



**S** **B**



## Product Number

To determine a product number, fill H-W-D dimensions and select Feet, Screw, and Color code in the following blank boxes.

**AUXE**

-  -

H-W-D dimensions

See page 169~170 for dimensions and product no.

**1** Feet **2** Screw

R or A P or H

**3** Color


SS or SB

Numbering example :


If looking at "H132.5 x W300 x D300mm, Feet type R, Screw type P, Color type SB"

➔ **AUXE 133-30-30 RP-SB**

## Accessories (Optional parts)



Mounting plate AUC series  
See page 179 ~ 180



Corner guard AUCG series  
See page 180



Elastomer carrying handle FM200  
See page FM200 • MH




Aluminium handle OH series  
See page OH • KH-1



Wall mount support arm MAR series  
See page 181 ~ 182

## AUXE dimensions



■ DXF/DWG/PDF/STP drawings available on our website.

■ Feet is selectable between rubber or aluminium type.  
※Rubber and aluminium feet height are different.

### Rubber Feet



### Aluminium Feet



### Product no. / Details

| Product no.                   | H  | W   | D   | Weight (kg) |
|-------------------------------|----|-----|-----|-------------|
| <b>NEW</b> AUXE 44-16-16□□-□□ | 44 | 160 | 160 | 0.7         |
| <b>NEW</b> AUXE 44-20-16□□-□□ | 44 | 200 | 160 | 0.8         |
| <b>NEW</b> AUXE 44-20-20□□-□□ | 44 | 200 | 200 | 0.9         |
| <b>NEW</b> AUXE 44-25-16□□-□□ | 44 | 250 | 160 | 1.0         |
| <b>NEW</b> AUXE 44-25-20□□-□□ | 44 | 250 | 200 | 1.1         |
| <b>NEW</b> AUXE 44-25-25□□-□□ | 44 | 250 | 250 | 1.3         |
| <b>NEW</b> AUXE 44-30-16□□-□□ | 44 | 300 | 160 | 1.1         |
| <b>NEW</b> AUXE 44-30-20□□-□□ | 44 | 300 | 200 | 1.3         |
| <b>NEW</b> AUXE 44-30-25□□-□□ | 44 | 300 | 250 | 1.5         |
| <b>NEW</b> AUXE 44-30-30□□-□□ | 44 | 300 | 300 | 1.7         |
| <b>NEW</b> AUXE 44-36-16□□-□□ | 44 | 360 | 160 | 1.2         |
| <b>NEW</b> AUXE 44-36-20□□-□□ | 44 | 360 | 200 | 1.5         |
| <b>NEW</b> AUXE 44-36-25□□-□□ | 44 | 360 | 250 | 1.7         |
| <b>NEW</b> AUXE 44-36-30□□-□□ | 44 | 360 | 300 | 2.0         |

■ Please suffix color code at the end of the product number.

| Product no.                   | H  | W   | D   | Weight (kg) |
|-------------------------------|----|-----|-----|-------------|
| <b>NEW</b> AUXE 44-36-36□□-□□ | 44 | 360 | 360 | 2.3         |
| <b>NEW</b> AUXE 44-43-16□□-□□ | 44 | 430 | 160 | 1.5         |
| <b>NEW</b> AUXE 44-43-20□□-□□ | 44 | 430 | 200 | 1.7         |
| <b>NEW</b> AUXE 44-43-25□□-□□ | 44 | 430 | 250 | 2.0         |
| <b>NEW</b> AUXE 44-43-30□□-□□ | 44 | 430 | 300 | 2.3         |
| <b>NEW</b> AUXE 44-43-36□□-□□ | 44 | 430 | 360 | 2.6         |
| <b>NEW</b> AUXE 44-43-43□□-□□ | 44 | 430 | 430 | 3.0         |
| <b>NEW</b> AUXE 44-50-30□□-□□ | 44 | 500 | 300 | 2.6         |
| <b>NEW</b> AUXE 44-50-36□□-□□ | 44 | 500 | 360 | 3.0         |
| <b>NEW</b> AUXE 44-50-43□□-□□ | 44 | 500 | 430 | 3.4         |
| <b>NEW</b> AUXE 44-50-50□□-□□ | 44 | 500 | 500 | 3.9         |
| <b>NEW</b> AUXE 44-60-36□□-□□ | 44 | 600 | 360 | 3.5         |
| <b>NEW</b> AUXE 44-60-43□□-□□ | 44 | 600 | 430 | 4.0         |





## Product no. / Details

■ Please suffix color code at the end of the product number.

| Product no.                   | H  | W   | D   | Weight (kg) |
|-------------------------------|----|-----|-----|-------------|
| AUXE 66-16-16□□-□□            | 66 | 160 | 160 | 0.9         |
| AUXE 66-20-16□□-□□            | 66 | 200 | 160 | 1.0         |
| AUXE 66-20-20□□-□□            | 66 | 200 | 200 | 1.1         |
| AUXE 66-25-16□□-□□            | 66 | 250 | 160 | 1.2         |
| AUXE 66-25-20□□-□□            | 66 | 250 | 200 | 1.3         |
| AUXE 66-25-25□□-□□            | 66 | 250 | 250 | 1.5         |
| AUXE 66-30-16□□-□□            | 66 | 300 | 160 | 1.3         |
| AUXE 66-30-20□□-□□            | 66 | 300 | 200 | 1.5         |
| AUXE 66-30-25□□-□□            | 66 | 300 | 250 | 1.7         |
| AUXE 66-30-30□□-□□            | 66 | 300 | 300 | 2.0         |
| <b>NEW</b> AUXE 66-36-16□□-□□ | 66 | 360 | 160 | 1.4         |
| AUXE 66-36-20□□-□□            | 66 | 360 | 200 | 1.7         |
| AUXE 66-36-25□□-□□            | 66 | 360 | 250 | 2.0         |
| AUXE 66-36-30□□-□□            | 66 | 360 | 300 | 2.2         |
| AUXE 66-36-36□□-□□            | 66 | 360 | 360 | 2.6         |
| <b>NEW</b> AUXE 66-43-16□□-□□ | 66 | 430 | 160 | 1.8         |
| AUXE 66-43-20□□-□□            | 66 | 430 | 200 | 2.0         |
| AUXE 66-43-25□□-□□            | 66 | 430 | 250 | 2.3         |
| AUXE 66-43-30□□-□□            | 66 | 430 | 300 | 2.6         |
| AUXE 66-43-36□□-□□            | 66 | 430 | 360 | 3.0         |
| AUXE 66-43-43□□-□□            | 66 | 430 | 430 | 3.4         |
| AUXE 66-50-30□□-□□            | 66 | 500 | 300 | 2.9         |
| AUXE 66-50-36□□-□□            | 66 | 500 | 360 | 3.3         |
| AUXE 66-50-43□□-□□            | 66 | 500 | 430 | 3.8         |
| AUXE 66-50-50□□-□□            | 66 | 500 | 500 | 4.3         |
| AUXE 66-60-36□□-□□            | 66 | 600 | 360 | 3.8         |
| AUXE 66-60-43□□-□□            | 66 | 600 | 430 | 4.4         |
| AUXE 88-16-16□□-□□            | 88 | 160 | 160 | 1.0         |
| AUXE 88-20-16□□-□□            | 88 | 200 | 160 | 1.1         |
| AUXE 88-20-20□□-□□            | 88 | 200 | 200 | 1.3         |
| AUXE 88-25-16□□-□□            | 88 | 250 | 160 | 1.3         |
| AUXE 88-25-20□□-□□            | 88 | 250 | 200 | 1.5         |
| AUXE 88-25-25□□-□□            | 88 | 250 | 250 | 1.7         |
| AUXE 88-30-16□□-□□            | 88 | 300 | 160 | 1.5         |
| AUXE 88-30-20□□-□□            | 88 | 300 | 200 | 1.7         |
| AUXE 88-30-25□□-□□            | 88 | 300 | 250 | 1.9         |
| AUXE 88-30-30□□-□□            | 88 | 300 | 300 | 2.2         |
| <b>NEW</b> AUXE 88-36-16□□-□□ | 88 | 360 | 160 | 1.6         |
| AUXE 88-36-20□□-□□            | 88 | 360 | 200 | 1.9         |
| AUXE 88-36-25□□-□□            | 88 | 360 | 250 | 2.2         |
| AUXE 88-36-30□□-□□            | 88 | 360 | 300 | 2.4         |
| AUXE 88-36-36□□-□□            | 88 | 360 | 360 | 2.8         |
| <b>NEW</b> AUXE 88-43-16□□-□□ | 88 | 430 | 160 | 1.9         |
| AUXE 88-43-20□□-□□            | 88 | 430 | 200 | 2.2         |
| AUXE 88-43-25□□-□□            | 88 | 430 | 250 | 2.5         |
| AUXE 88-43-30□□-□□            | 88 | 430 | 300 | 2.8         |
| AUXE 88-43-36□□-□□            | 88 | 430 | 360 | 3.2         |
| AUXE 88-43-43□□-□□            | 88 | 430 | 430 | 3.6         |
| AUXE 88-50-30□□-□□            | 88 | 500 | 300 | 3.2         |
| AUXE 88-50-36□□-□□            | 88 | 500 | 360 | 3.6         |
| AUXE 88-50-43□□-□□            | 88 | 500 | 430 | 4.1         |
| AUXE 88-50-50□□-□□            | 88 | 500 | 500 | 4.6         |
| AUXE 88-60-36□□-□□            | 88 | 600 | 360 | 4.1         |
| AUXE 88-60-43□□-□□            | 88 | 600 | 430 | 4.7         |

| Product no.                   | H     | W   | D   | Weight (kg) |
|-------------------------------|-------|-----|-----|-------------|
| AUXE133-16-16□□-□□            | 132.5 | 160 | 160 | 1.3         |
| AUXE133-20-16□□-□□            | 132.5 | 200 | 160 | 1.5         |
| AUXE133-20-20□□-□□            | 132.5 | 200 | 200 | 1.7         |
| AUXE133-25-16□□-□□            | 132.5 | 250 | 160 | 1.7         |
| AUXE133-25-20□□-□□            | 132.5 | 250 | 200 | 1.9         |
| AUXE133-25-25□□-□□            | 132.5 | 250 | 250 | 2.2         |
| AUXE133-30-16□□-□□            | 132.5 | 300 | 160 | 1.9         |
| AUXE133-30-20□□-□□            | 132.5 | 300 | 200 | 2.1         |
| AUXE133-30-25□□-□□            | 132.5 | 300 | 250 | 2.4         |
| AUXE133-30-30□□-□□            | 132.5 | 300 | 300 | 2.7         |
| <b>NEW</b> AUXE133-36-16□□-□□ | 132.5 | 360 | 160 | 2.2         |
| AUXE133-36-20□□-□□            | 132.5 | 360 | 200 | 2.4         |
| AUXE133-36-25□□-□□            | 132.5 | 360 | 250 | 2.7         |
| AUXE133-36-30□□-□□            | 132.5 | 360 | 300 | 3.1         |
| AUXE133-36-36□□-□□            | 132.5 | 360 | 360 | 3.4         |
| <b>NEW</b> AUXE133-43-16□□-□□ | 132.5 | 430 | 160 | 2.5         |
| AUXE133-43-20□□-□□            | 132.5 | 430 | 200 | 2.8         |
| AUXE133-43-25□□-□□            | 132.5 | 430 | 250 | 3.1         |
| AUXE133-43-30□□-□□            | 132.5 | 430 | 300 | 3.5         |
| AUXE133-43-36□□-□□            | 132.5 | 430 | 360 | 3.9         |
| AUXE133-43-43□□-□□            | 132.5 | 430 | 430 | 4.4         |
| AUXE133-50-30□□-□□            | 132.5 | 500 | 300 | 3.9         |
| AUXE133-50-36□□-□□            | 132.5 | 500 | 360 | 4.4         |
| AUXE133-50-43□□-□□            | 132.5 | 500 | 430 | 4.9         |
| AUXE133-50-50□□-□□            | 132.5 | 500 | 500 | 5.5         |
| AUXE133-60-36□□-□□            | 132.5 | 600 | 360 | 5.0         |
| AUXE133-60-43□□-□□            | 132.5 | 600 | 430 | 5.7         |
| <b>NEW</b> AUXE177-16-16□□-□□ | 177   | 160 | 160 | 1.5         |
| <b>NEW</b> AUXE177-20-16□□-□□ | 177   | 200 | 160 | 1.7         |
| <b>NEW</b> AUXE177-20-20□□-□□ | 177   | 200 | 200 | 1.9         |
| <b>NEW</b> AUXE177-25-16□□-□□ | 177   | 250 | 160 | 1.9         |
| <b>NEW</b> AUXE177-25-20□□-□□ | 177   | 250 | 200 | 2.2         |
| <b>NEW</b> AUXE177-25-25□□-□□ | 177   | 250 | 250 | 2.5         |
| <b>NEW</b> AUXE177-30-16□□-□□ | 177   | 300 | 160 | 2.2         |
| <b>NEW</b> AUXE177-30-20□□-□□ | 177   | 300 | 200 | 2.4         |
| <b>NEW</b> AUXE177-30-25□□-□□ | 177   | 300 | 250 | 2.8         |
| <b>NEW</b> AUXE177-30-30□□-□□ | 177   | 300 | 300 | 3.1         |
| <b>NEW</b> AUXE177-36-16□□-□□ | 177   | 360 | 160 | 2.5         |
| <b>NEW</b> AUXE177-36-20□□-□□ | 177   | 360 | 200 | 2.8         |
| <b>NEW</b> AUXE177-36-25□□-□□ | 177   | 360 | 250 | 3.1         |
| <b>NEW</b> AUXE177-36-30□□-□□ | 177   | 360 | 300 | 3.5         |
| <b>NEW</b> AUXE177-36-36□□-□□ | 177   | 360 | 360 | 3.9         |
| <b>NEW</b> AUXE177-43-16□□-□□ | 177   | 430 | 160 | 2.9         |
| <b>NEW</b> AUXE177-43-20□□-□□ | 177   | 430 | 200 | 3.2         |
| <b>NEW</b> AUXE177-43-25□□-□□ | 177   | 430 | 250 | 3.6         |
| <b>NEW</b> AUXE177-43-30□□-□□ | 177   | 430 | 300 | 4.0         |
| <b>NEW</b> AUXE177-43-36□□-□□ | 177   | 430 | 360 | 4.5         |
| <b>NEW</b> AUXE177-43-43□□-□□ | 177   | 430 | 430 | 5.0         |
| <b>NEW</b> AUXE177-50-30□□-□□ | 177   | 500 | 300 | 4.4         |
| <b>NEW</b> AUXE177-50-36□□-□□ | 177   | 500 | 360 | 5.0         |
| <b>NEW</b> AUXE177-50-43□□-□□ | 177   | 500 | 430 | 5.6         |
| <b>NEW</b> AUXE177-50-50□□-□□ | 177   | 500 | 500 | 6.2         |
| <b>NEW</b> AUXE177-60-36□□-□□ | 177   | 600 | 360 | 5.7         |
| <b>NEW</b> AUXE177-60-43□□-□□ | 177   | 600 | 430 | 6.4         |

**AUC** series**MOUNTING PLATE for AU□ series****Customization example**

■ See page CUSTOM-9 ~ CUSTOM-11 and our website for further details.



■ Mounting plate for AUH, AUR, AUPR, AUPRE, AUXR, AUXRE, AUGH, AUG, AUG, AUG, AU, AUP, AUPE, AUX, and AUXE series.

**Components**

| No. | Part name      | Pcs | Material               | Finish     |
|-----|----------------|-----|------------------------|------------|
| 1   | Mounting plate | 1   | Aluminium A1050P t=2.0 | Unfinished |
| 2   | L-bracket      | 2   | Aluminium A1050P t=2.0 | Unfinished |

Included screw :

- Corner block M3 flat head : Nickel plated x 4
- Mounting plate M3-5 pan head : Trivalent chromate x 4

**AUC dimensions****Non-reinforced (N) type****Reinforced (Y) type**

■ DXF/DWG/PDF drawings available on our website.

**Product no. / Details**

| Product no.  | W   | D   | Enclosure W x D | Reinforcement | Weight (g) |
|--------------|-----|-----|-----------------|---------------|------------|
| AUC16-16     | 108 | 108 | 160×160         | N             | 102        |
| AUC16-20     | 108 | 148 | 160×200         | N             | 138        |
| AUC16-25     | 108 | 198 | 160×250         | N             | 181        |
| AUC16-30     | 108 | 248 | 160×300         | N             | 226        |
| NEW AUC16-36 | 108 | 308 | 160×360         | N             | 279        |
| NEW AUC16-43 | 108 | 378 | 160×430         | N             | 340        |
| AUC20-16     | 148 | 108 | 200×160         | N             | 126        |
| AUC20-20     | 148 | 148 | 200×200         | N             | 170        |
| AUC20-25     | 148 | 198 | 200×250         | N             | 224        |
| AUC20-30     | 148 | 248 | 200×300         | N             | 279        |
| AUC20-36     | 148 | 308 | 200×360         | N             | 345        |
| AUC20-43     | 148 | 378 | 200×430         | N             | 422        |
| AUC25-16     | 198 | 108 | 250×160         | N             | 155        |
| AUC25-20     | 198 | 148 | 250×200         | N             | 210        |
| AUC25-25     | 198 | 198 | 250×250         | N             | 278        |
| AUC25-30     | 198 | 248 | 250×300         | N             | 346        |
| AUC25-36     | 198 | 308 | 250×360         | N             | 428        |
| AUC25-43     | 198 | 378 | 250×430         | N             | 524        |
| AUC30-16     | 248 | 108 | 300×160         | N             | 184        |
| AUC30-20     | 248 | 148 | 300×200         | N             | 249        |
| AUC30-25     | 248 | 198 | 300×250         | N             | 331        |
| AUC30-30     | 248 | 248 | 300×300         | N             | 413        |
| AUC30-36     | 248 | 308 | 300×360         | N             | 512        |

| Product no.  | W   | D   | Enclosure W x D | Reinforcement | Weight (g) |
|--------------|-----|-----|-----------------|---------------|------------|
| AUC30-43     | 248 | 378 | 300×430         | N             | 626        |
| AUC30-50     | 248 | 448 | 300×500         | N             | 741        |
| NEW AUC36-16 | 308 | 108 | 360×160         | N             | 219        |
| AUC36-20     | 308 | 148 | 360×200         | N             | 297        |
| AUC36-25     | 308 | 198 | 360×250         | N             | 395        |
| AUC36-30     | 308 | 248 | 360×300         | N             | 494        |
| AUC36-36     | 308 | 308 | 360×360         | N             | 581        |
| AUC36-43     | 308 | 378 | 360×430         | N             | 749        |
| AUC36-50     | 308 | 448 | 360×500         | N             | 886        |
| NEW AUC43-16 | 378 | 108 | 430×160         | Y             | 287        |
| AUC43-20     | 378 | 148 | 430×200         | Y             | 353        |
| AUC43-25     | 378 | 198 | 430×250         | Y             | 470        |
| AUC43-30     | 378 | 248 | 430×300         | Y             | 587        |
| AUC43-36     | 378 | 308 | 430×360         | Y             | 728        |
| AUC43-43     | 378 | 378 | 430×430         | Y             | 918        |
| AUC43-50     | 378 | 448 | 430×500         | Y             | 1,082      |
| AUC50-30     | 448 | 248 | 500×300         | Y             | 681        |
| AUC50-36     | 448 | 308 | 500×360         | Y             | 814        |
| AUC50-43     | 448 | 378 | 500×430         | Y             | 1,061      |
| AUC50-50     | 448 | 448 | 500×500         | Y             | 1,257      |
| AUC60-36     | 548 | 308 | 600×360         | Y             | 1,021      |
| AUC60-43     | 548 | 378 | 600×430         | Y             | 1,279      |

## How to install AUC mounting plate

1. Install L-bracket onto countersunk screw hole on corner block.



2. Install mounting plate onto L-bracket with screws.




## AUCG series

## CORNER GUARD for AU□ series



### AUCG dimensions



■ DXF/DWG/PDF drawings available on our website.

- Spare corner guard for AUGH, AUG and AUGE series. AUCG corner guard can also be installed on AU, AUP, AUPE, AUX, and AUXE series enclosures.
- 4 colors available: Black, Gray, Navy, and Red. Retailed as a pack of 8pcs.

### Product no.

| Product no. |         |         |         | Weight (g) | Pack of |
|-------------|---------|---------|---------|------------|---------|
| ● Black     | ● Gray  | ● Navy  | ● Red   |            |         |
| AUCG-1B     | AUCG-1G | AUCG-1N | AUCG-1R | 9.5        | 8       |


## AEG series

## EMC SHIELDING GASKET for AU□ series



- Spare EMC shielding gasket for AUPRE, AUXRE, AUGE, AUPE, and AUXE series enclosures. Installation on AUP and ARPR series is possible to allow it to be EMC shielded.

### Cross section view



### Product no.

| Product no. | Material                 | Color         | Sales unit    |
|-------------|--------------------------|---------------|---------------|
| AEG-1000    | Conductive fiber UL94V-0 | Metallic gray | 1000mm x 1 pc |

**TLW** series**TILT LEG**

APPLICATION EXAMPLE

- Double shot injection molded feet with soft and well-designed rounded shape.
- Non-slip design with Elastomer (TPE) pad.
- Available in 3 different color patterns (2 color patterns for TLW-70 models).
- TLW-70E models are exclusively for use with width 185mm or larger bottom covers of EXP • EXPE • EXW • EX • EXH • EXHE aluminium enclosures.

**Technical Data**


Max load : 7kg

**Components**




| No. | Part name  | Pcs | Material               | Color / Finish                                  |
|-----|------------|-----|------------------------|-------------------------------------------------|
| 1   | Front foot | 2   | PC + ABS UL94V-0 • TPE | Black & Black • Navy & Gray • Light gray & Gray |
| 2   | Rear foot  | 2   | PC + ABS UL94V-0 • TPE | Black & Black • Navy & Gray • Light gray & Gray |
| -   | Screw      | 4   | Steel M3-8 pan head    | Black trivalent chromate                        |
| -   | Nut        | 4   | Steel M3               | Black trivalent chromate                        |

**TLW dimensions**

Mounting hole (Front)





Mounting hole (Rear)



1

2




- DXF/DWG/PDF/STP drawings available on our website.

- TLW-70E□□ models are for installation (with M3 nut) into the built-in grooves on bottom-covers of EXP • EXPE 20-6, EXH • EXHE • EX 19-4 or larger models.

- Hole milling is required to install TLW-46□□ and TLW-70□□ models.

- Max installation panel thickness : t = 3.5mm



Built-in groove for M3 nut

**Product no. / Dimensions**

| Product no. | A  | B  | C  | D    | E    | F | G    | H  | I  | J  | K    | L | Color (plastic) | Color (TPE) | Weight (g) |
|-------------|----|----|----|------|------|---|------|----|----|----|------|---|-----------------|-------------|------------|
| TLW-46BB    | 19 | 19 | 12 | 51.2 | 45.9 | 2 | 14   | 13 | 19 | 27 | 14   | 2 | Black           | Black       | 23         |
| TLW46-NG    | 19 | 19 | 12 | 51.2 | 45.9 | 2 | 14   | 13 | 19 | 27 | 14   | 2 | Navy            | Gray        | 23         |
| TLW-46LG    | 19 | 19 | 12 | 51.2 | 45.9 | 2 | 14   | 13 | 19 | 27 | 14   | 2 | Light gray      | Gray        | 23         |
| TLW-70EBB   | -  | 25 | 16 | 75.4 | 69   | 3 | 21.5 | -  | 25 | 39 | 21.5 | 3 | Black           | Black       | 59         |
| TLW-70ENG   | -  | 25 | 16 | 75.4 | 69   | 3 | 21.5 | -  | 25 | 39 | 21.5 | 3 | Navy            | Gray        | 59         |
| TLW-70ELG   | -  | 25 | 16 | 75.4 | 69   | 3 | 21.5 | -  | 25 | 39 | 21.5 | 3 | Light gray      | Gray        | 59         |
| TLW-70BB    | 30 | 25 | 16 | 75.4 | 69   | 2 | 21.5 | 20 | 25 | 39 | 21.5 | 2 | Black           | Black       | 59         |
| TLW-70LG    | 30 | 25 | 16 | 75.4 | 69   | 2 | 21.5 | 20 | 25 | 39 | 21.5 | 2 | Light gray      | Gray        | 59         |

# FM200 series ELASTOMER CARRYING HANDLE

■ DXF/DWG/PDF/STP drawings available on our website.




■ Comfortable and easy to grip elastomer handle.

## Product no. / Details

| Product no. |        |
|-------------|--------|
| ● Black     | ● Gray |
| FM200B      | FM200G |

## Technical Data

Max load : 20kg



## Components

| No. | Part name                          | Pcs | Material | Color / Finish     |
|-----|------------------------------------|-----|----------|--------------------|
| 1   | Grip                               | 1   | PU       | Black • Gray       |
| 2   | Base                               | 2   | PA6      | Black • Gray       |
| 3   | Base cover                         | 2   | ABS      | Black • Gray       |
| 4   | Shaft                              | 2   | SWCH     | Nickel plated      |
| -   | Self-tapping screw (Pan head M5-8) | 4   | Steel    | Trivalent chromate |

# MH series CARRYING HANDLE


■ DXF/DWG/PDF drawings available on our website.



■ If chemicals, cutting fluid, etc. adhered to, or come into contact with areas where tensile stress is generated, there is a possibility that cracks may develop due to the synergistic effect of the chemicals and stress.

## Technical Data

Max load : 20kg



## Components

| No. | Part name              | Pcs | Material                   | Color / Finish     |
|-----|------------------------|-----|----------------------------|--------------------|
| 1   | Holder                 | 2   | PC + ABS • ABS             | Gray • Black       |
| 2   | Blind cap              | 2   | PP + Elastomer • Elastomer | Gray • Black       |
| 3   | Grip                   | 1   | PP + Elastomer • Elastomer | Gray • Black       |
| -   | Screw (Pan head M4-14) | 2   | Steel                      | Trivalent chromate |
| -   | Nut (M4)               | 2   | Steel                      | Trivalent chromate |
| -   | Spring washer          | 2   | Steel                      | Trivalent chromate |



## Product no. / Details

| Product no. |         |
|-------------|---------|
| ● Black     | ● Gray  |
| MH-197B     | MH-197G |



## OH SERIES

## ALUMINIUM HANDLE



## Components



| No. | Part name                                 | Pcs | Material                     | Color / Finish     |
|-----|-------------------------------------------|-----|------------------------------|--------------------|
| 1   | Handle                                    | 1   | Extruded aluminium A6063S-T5 | Matte anodized     |
| 2   | Screw (M4-10 Pan head with spring washer) | 2   | Steel                        | Trivalent chromate |

## Product no. / Dimensions

| Product no.            |                         | P   | W     | Pack of |
|------------------------|-------------------------|-----|-------|---------|
| ● Black matte anodized | ● Silver matte anodized |     |       |         |
| OH- 55B                | OH- 55K                 | 55  | 61.5  | 2       |
| OH- 70B                | OH- 70K                 | 70  | 76.5  | 2       |
| OH- 85B                | OH- 85K                 | 85  | 91.5  | 2       |
| OH-100B                | OH-100K                 | 100 | 106.5 | 2       |
| OH-120B                | OH-120K                 | 120 | 126.5 | 2       |
| OH-140B                | OH-140K                 | 140 | 146.5 | 2       |
| OH-170B                | OH-170K                 | 170 | 176.5 | 2       |

## KH SERIES

## ANGLED ALUMINIUM HANDLE



## Components


| No. | Part name                                 | Pcs | Material                  | Color / Finish            |
|-----|-------------------------------------------|-----|---------------------------|---------------------------|
| 1   | Handle                                    | 1   | Extruded aluminium A5056S | Polished • Matte anodized |
| 2   | Screw (M4-10 Pan head with spring washer) | 2   | Steel                     | Trivalent chromate        |

## Product no. / Dimensions

| Product no.       |                        | P   | Pack of |
|-------------------|------------------------|-----|---------|
| ● Silver polished | ● Black matte anodized |     |         |
| KH- 70S           | KH- 70B                | 70  | 2       |
| KH-100S           | KH-100B                | 100 | 2       |

**MAR** series**WALL MOUNT SUPPORT ARM**

- Wall mount support arm move easily to the preferred positions.
- Suitable for command panel on machinery and touch panel controller. Easy installation onto the wall as well.
- Hole pitch on the monitor bracket is compatible with VESA mount standards. Possible to mount PC display without modification.


**MAR specifications****MAR-312W**

Arm can move up/down direction.




Adjustable bolt for up/down direction on arm is firmly set initially.  
Adjust the movement according to the installed device.

Pan-Tilt bracket dimensions



Wall mounting bracket dimensions




Max load : 6.5kg (including product weight, adjustable bolt firmly locked)

Material : Steel • Plastic • Aluminium diecast


\*Wall mounting screws included.

## MAR-111W




Max load : 8kg (including product weight)  
 Material : Steel • Plastic • Aluminium diecast  
 \*Wall mounting screws included.

Pan-Tilt bracket dimensions



Wall mounting bracket dimensions




## MAR-110W




\*Pan-Tilt bracket do not move up/down direction.

Pan-Tilt bracket dimensions



Wall mounting bracket dimensions





Max load : 8kg (including product weight)  
 Material : Steel • Plastic • Aluminium diecast  
 \*Wall mounting screws included.

## Product no. / Dimensions

| Product no. | Arm full length | Arm color     | Weight (kg) |
|-------------|-----------------|---------------|-------------|
| MAR-312W    | ~ 612mm         | Metallic gray | 2.2         |
| MAR-111W    | ~ 340mm         | White / Black | 1.0         |
| MAR-110W    | ~ 130mm         | White / Black | 1.0         |

**EMF SERIES****EMC SHIELDED FAN DUST FILTER**

EMC  
Shielding  
Effects



- Dust filter for a cooling fan hole as EMC shield purpose.


**Components**

| Frame material         | Filter material | Mesh |
|------------------------|-----------------|------|
| Aluminium / Unfinished | Stainless steel | 30   |

- Mesh 30 = 30 openings in a 1 square inch area (25.4 x 25.4mm).

**Product no. / Dimensions**

| Product no. | W    | H    | a     | b     | c   | Matching fan size (mm) |
|-------------|------|------|-------|-------|-----|------------------------|
| EMF- 60     | 60   | 60   | 50    | 47    | 3.5 | 60.0 x 60.0            |
| EMF- 80     | 83.8 | 83.8 | 71.5  | 69    | 3.5 | 80.0 x 80.0            |
| EMF- 90     | 92   | 92   | 82.5  | 78    | 3.5 | 92.0 x 92.0            |
| EMF-120     | 119  | 119  | 104.8 | 104.8 | 3.5 | 120.0 x 120.0          |

**APPLICATION EXAMPLE**